

Partial equilibria with convex capital requirements: existence, uniqueness and stability

Michail Anthropelos · Gordan Žitković

Received: 7 February 2009 / Accepted: 14 August 2009 / Published online: 2 September 2009
© Springer-Verlag 2009

Abstract We consider several risk-averse financial agents who negotiate the price of a bundle of contingent claims in an incomplete semimartingale model of a financial market. Assuming that the agents' risk preferences are modeled by convex capital requirements, we define and analyze their demand functions and propose a notion of a partial equilibrium price. In addition to sufficient conditions for the existence and uniqueness, we also show that the equilibrium prices are stable with respect to misspecifications of agents' risk preferences.

Keywords Acceptance sets · Convex capital requirements · Incomplete markets · Mutually agreeable claims · Partial equilibrium allocation · Partial equilibrium price · Stability of equilibria

Mathematics Subject Classification (2000) Primary 91B70;
Secondary 91B30 · 60G35

JEL Classification G11 · G12 · C62

Both authors were supported in part by the National Science Foundation under award number DMS-0706947 during the preparation of this work. Any opinions, findings and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect those of the National Science Foundation.

M. Anthropelos · G. Žitković (✉)
Department of Mathematics, The University of Texas at Austin,
1 University Station, C1200, Austin, TX 78712, USA
e-mail: gordanz@math.utexas.edu

M. Anthropelos
e-mail: manthropelos@math.utexas.edu

1 Introduction

In complete market models, the price of a contingent claim is simply given by its replication cost. In the more realistic, incomplete models, the arbitrage-free paradigm typically fails to produce a unique price and yields only a price-interval. The presence of *unhedgeable* claims—due to the aforementioned market incompleteness—necessitates the introduction of another fundamental principle whenever one wants to produce a unique value for a given contingent claim. The long history of empirical inquiry into human behavior under risk dictates that this additional component is related to some numerical measure of risk-aversion, idiosyncratic to the agent valuing the claim. The majority of the existing literature uses agents' risk preferences to induce a *subjective* “pricing” mechanism which provides bid and ask prices for a claim payoff (consider for instance the indifference- or marginal-utility-based price concepts; see, e.g., the references in [Carmona \(2008\)](#)). In reality, however, the observed price of any claim is always a result of interaction among a number of agents. In fact, the very notion of a “price” makes sense only as the observed quantity at which a transaction between two (or more) agents already took place; consequently, what is called *pricing* in the bulk of the contemporary literature should rather be referred to as *valuation*. We abstain from such a renaming in order to keep in line with the already established terminology.

In the present paper, we consider several risk-averse financial agents who negotiate the price of a fixed bundle of claims, and we propose a *partial-equilibrium* pricing scheme in the spirit of the classical general-equilibrium theory. We place ourselves in a (liquid) financial market model driven by a *locally-bounded semimartingale*, fix a time horizon $T > 0$ and assume that each agent's risk preferences and investment goals are abstracted in the notion of an *acceptance set*. Roughly speaking, this set includes all the positions with maturity up to time T that the agent deems acceptable at time 0. Following the literature of convex risk measures, we assume that each acceptance set satisfies certain standard properties, such as monotonicity and convexity. An additional property that relates the agents' acceptance sets to the liquid market and the set of admissible strategies is also imposed (see Axiom Ax4). Thus axiomatized acceptance sets are naturally identified with *capital requirements* (or *risk measures*); intuitively, the (convex) capital requirement of a payoff is the minimum amount of money which, when added to the payoff, creates a position in the acceptance set.

The notion of risk measure was introduced to mathematical finance in the late nineties (see [Artzner et al. 1999](#)) and has captured a large part of the research activity in this field since (see, among others, [Delbaen \(2002\)](#) and [Föllmer and Schied \(2002\)](#), as well as Chapter 4 in [Föllmer and Schied \(2004\)](#) and references therein). Convex risk measures in the context of a liquid financial market were first studied in [Carr et al. \(2001\)](#) and [Föllmer and Schied \(2002\)](#) (see also [Föllmer and Schied \(2002\)](#) and section 4.8 of [Föllmer and Schied \(2004\)](#)). In [Föllmer and Schied \(2002\)](#), a convex risk measure is defined in the presence of a financial market, where the agent is allowed to trade in discrete time and under specific convex constraints. In [Carr et al. \(2001\)](#), a pricing scheme for non-replicable claims based on risk measures is proposed in a finite-probability-space model. The abstract definition of a convex capital requirement and its dual representation for a large family of models was given in [Frittelli and Scandolo \(2006\)](#) and [Barrieu and El Karoui \(2005\)](#). For the dynamic version of

convex-risk-measure-based pricing in an incomplete market setting, we refer the reader to [Barrieu and Karoui \(2004\)](#) and [Klöppel and Schweizer \(2007\)](#) and, for the sufficient conditions for existence of an optimal trading strategy that makes a contingent claim acceptable, to [Xu \(2006\)](#) and [Pal \(2006\)](#).

Having described the decision-theoretic set up, we focus on the interaction of $I \geq 2$ agents, who have access to (possibly) different financial markets, and we define *mutually agreeable bundle*. Given a bundle of contingent claims $\mathbf{B} = (B_1, B_2, \dots, B_n)$, we start by introducing the set of its *allocations*, i.e., the set of matrices that represent the feasible ways of sharing $\mathbf{B}$ among agents. Then, we say that a pair $(\mathbf{B}, \mathbf{a})$, of a bundle $\mathbf{B}$ and its allocation $\mathbf{a}$, is *mutually agreeable* if there exists a price vector $\mathbf{p}$, at which re-allocation of $\mathbf{B}$ according to $\mathbf{a}$ is acceptable to every agent at price $\mathbf{p}$. This is a generalized version of the notion of mutually agreeable claims given in [Anthropelos and Žitković \(2008\)](#). In Sect. 3, we study its properties and relate it to the well-known notion of *Pareto optimality*.

For models that include uncertainty, the concept of a Pareto optimal allocation was first analyzed in the insurance/reinsurance context in [Borch \(1962\)](#), [Gerber \(1978\)](#), and [Bühlmann and Jewell \(1979\)](#) and further developed in [Bühlmann \(1980, 1984\)](#) and [Wyler \(1990\)](#). More recently, the issues related to Pareto optimality and design of an optimal contract were studied in the more general settings of convex (coherent) risk measures (see, e.g., [Barrieu and Karoui 2004](#); [Barrieu and Scandolo 2008](#); [Burgert and Rüschendorf 2008](#); [Filipović and Kupper 2008](#); [Heath and Ku 2004](#); [Jouini et al. 2006](#)). In the presence of a financial market, this problem was addressed in [Barrieu and El Karoui \(2005\)](#) and [Klöppel and Schweizer \(2007\)](#). Recently, in [Filipović and Kupper \(2008\)](#) (see also [Heath and Ku 2004](#)), the concept of Pareto-optimality has been used to determine an equilibrium pricing rule, where the term “pricing rule” refers to a finitely additive measure (an element of the dual of $\mathbb{L}^\infty$). More precisely, the authors provide sufficient and necessary conditions for the existence of a Pareto optimal allocation of agents’ endowments, from which an equilibrium pricing rule is induced (in fact, the equilibrium pricing rule is the super-gradient of the representative agent’s risk measure).

In this work, instead of establishing an equilibrium pricing rule from a Pareto optimal allocation, we take a more direct approach and apply the classical market-clearing arguments to derive a *partial equilibrium price* for a bundle $\mathbf{B}$ of claims (in addition to a liquid incomplete financial market). Provided that the agents are not already in a Pareto-optimal configuration, an agent’s demand of the vector $\mathbf{B}$ at a price $\mathbf{p}$ is defined as the number of units of $\mathbf{B}$ that the agent is willing to buy at price $\mathbf{p}$. An equilibrium price for $\mathbf{B}$ is, then, the price at which the sum of agents’ demands is equal to zero for each component of $\mathbf{B}$ and the resulting re-allocation of the bundle $\mathbf{B}$ is called the *partial equilibrium allocation*. In Sect. 4, we give sufficient conditions for existence and uniqueness of the partial-equilibrium price and allocation and we relate it to the notion of *agents’ agreement*. This result generalizes Theorem 5.8 in [Anthropelos and Žitković \(2008\)](#), where the case of two agents with exponential utility functions is considered.

Having settled the problem of existence and uniqueness of the partial-equilibrium price, we turn to the following question: *How is the equilibrium price-allocation affected by (small) perturbations of the agents’ decision criteria?* This problem is of

considerable importance, since estimation of the shape of each agent's acceptance set is an extremely difficult task. It is therefore reasonable—in the spirit of Hadamard's requirements (see [Hadamard 1902](#))—to ask that any result, which uses acceptance sets as exogenously given, should satisfy adequate stability criteria. Despite its importance, the problem of stability of equilibrium prices with respect various problem primitives has not been previously studied in the context of continuous-time finance. Well-posedness of various “single-agent” optimization problems, on the other hand, has been extensively studied and has always been an important part of the optimization theory (standard references on stability, and, more generally, well-posedness of variational problems are [Lucchetti \(2006\)](#), [Rockafellar and Wets \(1998\)](#) and [Dontchev and Zolezzi \(1993\)](#)). However, stability of the agent's investment decisions in the presence of a financial market has only recently been investigated, and only for cases of utility function maximizers (see [Carasus and Rásonyi 2005](#); [Jouini and Napp 2004](#); [Kardaras and Žitković 2007](#); [Larsen and Žitković 2007](#)). Stability of problems related to the more general notion of a convex risk measure has still not been studied. In our setting, as demonstrated in [Theorem 1](#), the problem of existence of the partial-equilibrium price can be viewed as a minimization problem of the sum of the agents' capital requirements. Considered as such, its stability can be guaranteed by certain conditions on allowed perturbations of the agents' acceptance sets. The central notion in this analysis is the one of *Kuratowski convergence*; it is applied to sets of “acceptable” numbers of units of the given bundle of claims and provides a framework for sufficient conditions for stability. As special cases, we consider the set-ups of [Hugonnier and Kramkov \(2004\)](#) and [Kardaras and Žitković \(2007\)](#), where agents' risk preferences are modelled by utility functions.

The structure of the paper is as follows: In [Sect. 2](#), we describe the market model, introduce necessary notation and state some properties of the agents' acceptance sets and capital requirements. In [Sect. 3](#), we define and discuss the notion of mutually agreeable claim-allocations and analyze its relation to the Pareto optimality. Partial-equilibrium price-allocations are introduced in [Sect. 4](#), where an existence and uniqueness result is provided and discussed. Finally, in [Sect. 5](#), we exhibit conditions on the agents' acceptance sets that imply stability of the equilibrium price under small perturbations. The Appendix contains the proof of our main result together with two technical lemmas.

2 The market set-up

2.1 The liquid part of the financial market

Our model of the liquid part of the financial market is based on a filtered probability space $(\Omega, \mathcal{F}, \mathbb{F}, \mathbb{P})$, $\mathbb{F} = (\mathcal{F}_t)_{t \in [0, T]}$, $T > 0$, which satisfies the usual conditions of right-continuity and completeness. There are $d + 1$ traded assets ($d \in \mathbb{N}$), whose discounted price processes are modelled by an $\mathbb{R}^{d+1}$ -valued locally bounded semimartingale $(S_t^{(0)}; \mathbf{S}_t)_{t \in [0, T]} = (S_t^{(0)}; S_t^{(1)}, \dots, S_t^{(d)})_{t \in [0, T]}$. The first asset $S_t^{(0)}$ plays the role of a numéraire security or a discount factor. Operationally, we simply set $S_t^{(0)} \equiv 1$, for all $t \in [0, T]$, $\mathbb{P}$ -a.s. We also impose the assumption of no free lunch

with vanishing risk (see [Delbaen and Schachermayer 1994](#)). Namely, we define

$$\mathcal{M}_a = \{\mathbb{Q} \ll \mathbb{P} : \mathbf{S} \text{ is a local martingale under } \mathbb{Q}\}$$

and

$$\mathcal{M}_e = \{\mathbb{Q} \text{ is equivalent to } \mathbb{P} : \mathbf{S} \text{ is a local martingale under } \mathbb{Q}\}$$

and make the following standing assumption.

Assumption 1 $\mathcal{M}_e \neq \emptyset$.

We allow the possibility that the liquid part of the financial market is incomplete, i.e., that $\mathcal{M}_e$ is not a singleton.

Remark 1 Speaking broadly, the local boundedness condition imposed on the price process is not necessary for a large portion of our results to hold (mutatis mutandis). The main reason we do impose it has to do with the technical, terminological and notational overhead that we would have to bear otherwise. In particular, we would need to introduce more complicated, and significantly less economically defensible admissibility constraints (see the following subsection). Such a generalization—while requiring much more effort on the part of the reader—would not, in our opinion, bring forth anything essentially new.

2.2 Admissible strategies

For σ -algebra $\mathcal{G} \subseteq \mathcal{F}$, $\mathbb{L}^0(\mathcal{G})$ denotes the set of all $\mathbb{P}$ -a.s. equivalence classes of $\mathcal{G}$ -measurable random variables, and $\mathbb{L}^\infty(\mathcal{G})$ the set of all (classes of) essentially bounded elements of $\mathbb{L}^0(\mathcal{G})$. When the underlying σ -algebra $\mathcal{G}$ is omitted, it should be assumed that $\mathcal{G} = \mathcal{F}$. Shortcuts

$$\begin{aligned} \mathcal{B} + \mathcal{C} &= \{X + Y : X \in \mathcal{B}, Y \in \mathcal{C}\}, \quad -\mathcal{B} = \{-X : X \in \mathcal{B}\}, \\ \mathcal{B}_+ &= \{X \in \mathcal{B} : X \geq 0, \text{ a.s.}\}, \quad \mathcal{B}_- = \{X \in \mathcal{B} : X \leq 0, \text{ a.s.}\} \end{aligned}$$

for $\mathcal{B}, \mathcal{C} \subseteq \mathbb{L}^0 = \mathbb{L}^0(\mathcal{F})$, will be used throughout.

A financial agent (with initial wealth x) invests in the market by choosing a portfolio strategy $\boldsymbol{\vartheta} \in L(\mathbf{S})$, where $L(\mathbf{S})$ denotes the set of predictable stochastic processes integrable with respect to $\mathbf{S}$. The resulting *wealth process*, $(X_t^{x, \boldsymbol{\vartheta}})_{t \in [0, T]}$, is simply the stochastic integral:

$$X_t^{x, \boldsymbol{\vartheta}} = x + (\boldsymbol{\vartheta} \cdot \mathbf{S})_t = x + \int_0^t \boldsymbol{\vartheta}_u d\mathbf{S}_u. \quad (1)$$

We say that a strategy $\boldsymbol{\vartheta}$ is *admissible* if the induced wealth process is uniformly bounded from below by a constant and we denote the set of admissible strategies by

Θ , i.e.,

$$\Theta = \{\vartheta \in L(\mathbf{S}) : \exists c \in \mathbb{R} \text{ such that } c \leq (\vartheta \cdot \mathbf{S})_t, \forall t \in [0, T], \text{ a.s.}\} \quad (2)$$

The collection of all terminal values of wealth processes corresponding to the initial wealth x and admissible portfolio strategies is denoted by $\mathcal{X}(x)$, i.e.,

$$\mathcal{X}(x) = \left\{ X_T^{x, \vartheta} : \vartheta \in \Theta \right\}.$$

Furthermore, we define the sets

$$\mathcal{X} = \bigcup_{x \in \mathbb{R}} \mathcal{X}(x), \quad \mathcal{X}^\infty = \mathcal{X} \cap \mathbb{L}^\infty \quad \text{and} \quad \mathcal{R} = \{X \in \mathcal{X} : -X \in \mathcal{X}\}.$$

- Remark 2* 1. A simple argument based solely on the absence of arbitrage implies that $X \in \mathcal{R}$ if and only if there exists $x \in \mathbb{R}$ and $\vartheta \in \Theta$ such that $X = x + (\vartheta \cdot \mathbf{S})_T$ and $(\vartheta \cdot \mathbf{S})_t$ is uniformly bounded. In particular, $\mathcal{R} \subseteq \mathbb{L}^\infty$.
2. The lower bound on the losses of the admissible strategies is imposed to avoid pathologies that the so-called *doubling strategies* create. Moreover, Assumption 1 excludes the existence of arbitrage opportunities in the liquid market (see [Delbaen and Schachermayer 1994](#), Corollary 1.2). Note also that $X \in \mathcal{X}^\infty$ does not imply that $-X \in \mathcal{X}$, since there exist admissible strategies such that $(\vartheta \cdot \mathbf{S})_T \in \mathbb{L}^\infty$ but $(-\vartheta \cdot \mathbf{S})_t$ is not uniformly bounded from below.

2.3 The acceptance sets

Given the financial market $(S^{(0)}; \mathbf{S})$ and the set of admissible strategies Θ , we suppose that each agent's risk preferences, investment goals, possible stochastic income, etc., are incorporated in a set $\tilde{\mathcal{A}} \subseteq \mathbb{L}^0(\mathcal{F})$ called the *acceptance set*. We interpret $\tilde{\mathcal{A}}$ as the set that contains the discounted net wealths of investment positions with maturity T that the agent deems acceptable at time $t = 0$.

In concordance with the standard postulates of the risk-measure theory, we assume that $\tilde{\mathcal{A}}$ satisfies the following axioms:

- Ax1. $\tilde{\mathcal{A}} + \mathbb{L}_+^0 \subseteq \tilde{\mathcal{A}}$.
- Ax2. $\tilde{\mathcal{A}}$ is convex.
- Ax3. $\tilde{\mathcal{A}} \cap \mathbb{L}_-^0(\mathcal{F}) = \{0\}$.
- Ax4. $\tilde{\mathcal{A}} - \mathcal{X}(0) \subseteq \tilde{\mathcal{A}}$.

For future use we set $\mathcal{A} = \tilde{\mathcal{A}} \cap \mathbb{L}^\infty$.

Remark 3 Axiom Ax1 simply states that every investment with payoff a.s. above the payoff of an acceptable claim is also acceptable. Axiom Ax2 reflects the fact that diversified portfolios of acceptable investments should also be acceptable, while Axiom Ax3 means that the “status quo” (i.e., no investment at all) is an acceptable position and that the non-trivial investments which never make money are not acceptable. Finally,

axiom $Ax4$ is the one that provides a link between the liquid market and the agent's acceptable positions. One should think of $\tilde{\mathcal{A}}$ as an "already-optimized" representation of agent's preferences, in the sense that the fact that the liquid market stands at the agent's disposal has already been taken into account. One of the direct consequences of $Ax4$, and a more mathematical reformulation of the last sentence, is the following property:

$$\text{If there exists } X \in \mathcal{X}(0) \text{ such that } B + X \in \tilde{\mathcal{A}}, \text{ then } B \in \tilde{\mathcal{A}}. \quad (3)$$

More directly, if a position can be improved to acceptability by costless trading, it should already be considered acceptable. The reader should note that the situation is not entirely symmetric: it can happen that $B - X$ is acceptable for some $X \in \mathcal{X}(0)$, but B is not. The reason is that X may not be bounded from above so that there is no admissible strategy (with $-X \notin \mathcal{X}(0)$ being the prime candidate) which will bring B into acceptability.

An important, but by no means only, example of an acceptable set which satisfies $Ax1$ – $Ax4$ can be constructed using utility functions:

Example 1 A classical example of an acceptance set that satisfies the axioms $Ax1$ – $Ax4$ is the one induced by a utility function, i.e., a mapping $U : (a, \infty) \rightarrow \mathbb{R}$, $a \in [-\infty, 0]$, which is strictly concave, strictly increasing, continuously differentiable and satisfies the Inada conditions

$$\lim_{x \rightarrow a^+} U'(x) = +\infty \quad \text{and} \quad \lim_{x \rightarrow +\infty} U'(x) = 0.$$

We also include a random endowment (illiquid investments, stochastic income) whose value at time T is given by $\mathcal{E} \in \mathbb{L}^\infty(\mathcal{F}_T)$. The agent's investment goal is to maximize the expected utility by trading in the market assets and for every contingent claim $B \in \mathbb{L}_+^0 - \mathbb{L}_+^\infty$, the resulting indirect utility is defined by

$$u(x|B) = \sup_{X \in \mathcal{X}(0)} \mathbb{E}[U(x + \mathcal{E} + X + B)], \quad (4)$$

where $x > 0$ is the agent's initial wealth. For sufficient assumptions that lead to the existence of the optimal trading strategy, we refer the interested reader to [Cvitanic et al.](#), [Hugonnier and Kramkov \(2004\)](#) for the case $a > -\infty$ and [Biagini and Frittelli \(2008\)](#) and [Owen and Žitković \(2006\)](#) for $a = -\infty$. The set of acceptable claims is then given by

$$\tilde{\mathcal{A}}_U(x) = \left\{ B \in \mathbb{L}_+^0 - \mathbb{L}_+^\infty : u(x|B) \geq u(x|0) \right\}. \quad (5)$$

It is straightforward to check that $\tilde{\mathcal{A}}_U(x)$ indeed satisfies the axioms $Ax1$ – $Ax4$, for $x > 0$.

One can replace the expected utility by a general convex risk measure ρ in the above discussion. For $B \in \mathbb{L}^\infty$, we can introduce the function

$$\hat{\rho}(B) = \inf_{X \in \mathcal{X}(0)} \rho(B + X)$$

and use Lemma 2.4 in Xu (2006) to guarantee that $\hat{\rho}$ is itself a convex risk measure whose acceptance set $\hat{\mathcal{A}} = \{B \in \mathbb{L}^\infty : \hat{\rho}(B) \leq 0\}$ satisfies Ax4.

2.4 The convex capital requirement

Given an acceptance set $\tilde{\mathcal{A}}$, we call the map $\rho_{\mathcal{A}} : \mathbb{L}^\infty \rightarrow \bar{\mathbb{R}}$, defined by

$$\rho_{\mathcal{A}}(B) = \inf\{m \in \mathbb{R} : m + B \in \tilde{\mathcal{A}}\}, \text{ for every } B \in \mathbb{L}^\infty, \quad (6)$$

the agent's *convex capital requirement* or *convex risk measure* induced by the acceptance set $\tilde{\mathcal{A}}$. It follows that $\rho_{\mathcal{A}}(\cdot)$ is convex, non-increasing and cash invariant, i.e., $\rho_{\mathcal{A}}(B + m) = \rho_{\mathcal{A}}(B) - m$, for every $B \in \mathbb{L}^\infty$ and $m \in \mathbb{R}$.

Axioms Ax1 and Ax2 imply that $\rho_{\mathcal{A}}(0) = 0$ and the inequality $-\|B\|_\infty \leq B \leq \|B\|_\infty$ together with axiom Ax1 force $\rho_{\mathcal{A}}(B) \in [-\|B\|_\infty, \|B\|_\infty] \subseteq \mathbb{R}$ for every $B \in \mathbb{L}^\infty$. The inclusion $\mathcal{A} \subseteq \{B \in \mathbb{L}^\infty : \rho_{\mathcal{A}}(B) \leq 0\}$ holds trivially. If, in addition, the set $\mathcal{A}$ satisfies the following mild closedness property

$$\{\lambda \in [0, 1] : \lambda m + (1 - \lambda)B \in \mathcal{A}\} \text{ is closed in } [0, 1], \text{ for all } m \in \mathbb{R}_+, B \in \mathbb{L}^\infty, \quad (7)$$

the inverse inclusion also holds (see Proposition 4.7 in Föllmer and Schied 2004). Property (7) holds, in particular, if $\tilde{\mathcal{A}} \cap V$ is closed (with respect to any linear topology) for any finite-dimensional subspace $V \subseteq \mathbb{L}^\infty$. In what follows, with a slight abuse of terminology, when we mention the term acceptance set we will refer to the set $\mathcal{A} = \tilde{\mathcal{A}} \cap \mathbb{L}^\infty$, for $\tilde{\mathcal{A}}$ that satisfies Ax1–Ax4.

Remark 4 Similar definitions of the convex capital requirement have been given in Föllmer and Schied (2004, p. 207) and Frittelli and Scandolo (2006). In the former, a given acceptance set $\mathcal{A}$ is related to the market through a larger acceptance set $\hat{\mathcal{A}}$, defined by

$$\hat{\mathcal{A}} = \{B \in \mathbb{L}^\infty : \exists \vartheta \in \Theta, A \in \mathcal{A} \text{ such that } (\vartheta \cdot S)_T + B \geq A, \mathbb{P} - \text{a.s.}\}. \quad (8)$$

In our case, (3) implies that $\hat{\mathcal{A}} = \mathcal{A}$, which is yet another reformulation of the “already-optimized” property of Remark 3. In Frittelli and Scandolo (2006), the authors define the generalized capital requirement by

$$\hat{\rho}_{\mathcal{A}}(B) = \inf\{m \in \mathbb{R} : \exists X \in \mathcal{X}(m) \text{ such that } X + B \in \mathcal{A}\}.$$

If the acceptance set $\tilde{\mathcal{A}}$ satisfies the axioms $Ax1$ – $Ax4$, it is straightforward to show that $\rho_{\mathcal{A}}(B) = \hat{\rho}_{\mathcal{A}}(B)$. The existence of an admissible strategy in the definitions of $\hat{\rho}_{\mathcal{A}}(\cdot)$ and $\hat{\mathcal{A}}$ has been established in Xu (2006, Theorem 2.6).

2.5 A robust representation

It is shown in Föllmer and Schied (2002) that under the assumption that $\mathcal{A}$ is weak- $*$ closed (closed in the weak topology $\sigma(\mathbb{L}^\infty, \mathbb{L}^1)$), the convex risk measure $\rho_{\mathcal{A}}(\cdot)$ admits a robust representation in the sense of Artzner et al. (1999) and Delbaen (2002). The additionally imposed axiom $Ax4$ provides some further information about the penalty function. The following proposition is similar, but not identical, to the results in Föllmer and Schied (2004) and Klöppel and Schweizer (2007).

Proposition 1 *If $\mathcal{A}$ is a weak- $*$ closed acceptance set, then*

1. $\rho_{\mathcal{A}}$ admits a robust representation of the following form

$$\rho_{\mathcal{A}}(B) = \sup_{\mathbb{Q} \in \mathcal{M}_a} \{ \mathbb{E}^{\mathbb{Q}}[-B] - \alpha_{\mathcal{A}}(\mathbb{Q}) \} \quad (9)$$

for every $B \in \mathbb{L}^\infty$, where $\alpha_{\mathcal{A}}(\mathbb{Q}) = \sup_{B \in \mathcal{A}} \{ \mathbb{E}^{\mathbb{Q}}[-B] \}$, i.e., $\mathcal{M}_{\mathcal{A}} \subseteq \mathcal{M}_a$, where $\mathcal{M}_{\mathcal{A}}$ is the effective domain of α (the set of all probability measures $\mathbb{Q}$ with $\alpha(\mathbb{Q}) < \infty$).

2. The set of measures, denoted by $\partial \rho_{\mathcal{A}}(B)$, at which the supremum in (9) is attained, is non-empty.

Proof Thanks to the results in Föllmer and Schied (2004) and Klöppel and Schweizer (2007), it is enough to show that for every $\mathbb{Q} \notin \mathcal{M}_a$, $\alpha_{\mathcal{A}}(\mathbb{Q}) = +\infty$. For every such $\mathbb{Q}$, there exists an admissible terminal wealth $X \in \mathcal{X}(x)$, such that $\mathbb{E}^{\mathbb{Q}}[X] > x$, i.e., there exists a portfolio $\vartheta \in \Theta$, such that $(\vartheta \cdot \mathbf{S})_t$ is uniformly bounded from below and $\mathbb{E}^{\mathbb{Q}}[(\vartheta \cdot \mathbf{S})_T] > 0$ (see Theorem 5.6 in Delbaen and Schachermayer 1994). Then, for every $k \in \mathbb{N}$, we define $B_k = -((\vartheta \cdot \mathbf{S})_T \wedge k)$, which belongs to $\mathbb{L}^\infty$. Hence, $B_k + (\vartheta \cdot \mathbf{S})_T = ((\vartheta \cdot \mathbf{S})_T - k) \mathbf{1}_{\{(\vartheta \cdot \mathbf{S})_T \geq k\}} \geq 0$, which means that $B_k + (\vartheta \cdot \mathbf{S})_T \in \tilde{\mathcal{A}}$ for every $k \in \mathbb{N}$. Also, by (3) we have that $\lambda B_k \in \mathcal{A}$, for all $\lambda > 0$. Thus, $\alpha_{\mathcal{A}}(\mathbb{Q}) \geq \mathbb{E}^{\mathbb{Q}}[-\lambda B_k]$, for every $k \in \mathbb{N}$. Finally, it is enough to first let $k \rightarrow \infty$ and use the Monotone convergence theorem to get that $\alpha_{\mathcal{A}}(\mathbb{Q}) \geq \lambda \mathbb{E}^{\mathbb{Q}}[(\vartheta \cdot \mathbf{S})_T]$, and then let $\lambda \rightarrow \infty$. $\square$

Corollary 1 *If $\mathcal{A}$ is a weak- $*$ closed acceptance set, then $\rho_{\mathcal{A}}(\cdot)$ satisfies the following replication invariance property: for every $B \in \mathbb{L}^\infty$ and every $C \in \mathcal{R} \cap \mathcal{X}(x)$, we have $\rho_{\mathcal{A}}(B + C) = \rho_{\mathcal{A}}(B) - x$.*

Remark 5 The technical notion of weak- $*$ -closedness used above is often better understood if replaced by weaker, but easier to check, notions related to pointwise convergence coupled with appropriate one-sided boundedness requirements. We refer the reader to Chapter 4 of Föllmer and Schied (2004) and the references therein.

2.6 Risk-equivalence

The following definition (see also Anthropelos and Žitković 2008) will be used extensively in the sequel:

Definition 1 Two random variables $B, C \in \mathbb{L}^\infty$ are said to be *risk-equivalent* (or *equivalent with respect to risk*), denoted by $B \sim C$, if $B - C \in \mathcal{R}$.

It is straightforward to check that the relation $\sim$ is indeed an equivalence relation in $\mathbb{L}^\infty$. The condition $B \sim C$ means that the claims with payoffs B and C carry the same unhedgeable risk. Moreover, it is easy to see that the condition $B \sim C$ implies that

$$\forall \lambda \in [0, 1], \rho_{\mathcal{A}}(\lambda B + (1 - \lambda)C) = \lambda \rho_{\mathcal{A}}(B) + (1 - \lambda) \rho_{\mathcal{A}}(C). \quad (10)$$

On the other hand, if $B \approx C$, convex combinations of the payoffs B and C may lead to reduction of risk. The following proposition characterizes those acceptance sets $\mathcal{A}$ for which this is always the case.

Proposition 2 Let $\mathcal{A}$ be a weak-* closed acceptance set. Then, the following two statements are equivalent:

1. For all $B, C \in \mathcal{A}$ with $B \approx C$ and every $\lambda \in (0, 1)$, there exists a random variable $E \in \mathbb{L}_+^\infty$ and $\mathbb{Q} \in \partial \rho_{\mathcal{A}}(\lambda B + (1 - \lambda)C)$ such that, $\mathbb{Q}(E > 0) > 0$ and

$$\lambda B + (1 - \lambda)C - E \in \mathcal{A}.$$

2. For all $B, C \in \mathbb{L}^\infty$ the condition (10) implies $B \sim C$.

Proof We first assume that (1) holds and that $B, C \in \mathbb{L}^\infty$ are such that $B \approx C$. Then, we have $B + \rho_{\mathcal{A}}(B), C + \rho_{\mathcal{A}}(C) \in \mathcal{A}$, and so, for any $\lambda \in (0, 1)$, there exists $E \in \mathbb{L}_+^\infty$ and $\mathbb{Q} \in \partial \rho_{\mathcal{A}}(\lambda B + (1 - \lambda)C)$ such that $\mathbb{Q}(E > 0) > 0$ and

$$\lambda B + (1 - \lambda)C + \lambda \rho_{\mathcal{A}}(B) + (1 - \lambda) \rho_{\mathcal{A}}(C) - E \in \mathcal{A}.$$

This implies that $\rho_{\mathcal{A}}(\lambda B + (1 - \lambda)C - E) \leq \lambda \rho_{\mathcal{A}}(B) + (1 - \lambda) \rho_{\mathcal{A}}(C)$, and so, thanks to monotonicity of $\rho_{\mathcal{A}}$, (10) cannot hold because

$$\begin{aligned} \rho_{\mathcal{A}}(\lambda B + (1 - \lambda)C) &= \mathbb{E}^{\mathbb{Q}}[-\lambda B - (1 - \lambda)C] - \alpha_{\mathcal{A}}(\mathbb{Q}) \\ &< \mathbb{E}^{\mathbb{Q}}[-\lambda B - (1 - \lambda)C + E] - \alpha_{\mathcal{A}}(\mathbb{Q}) \\ &\leq \sup_{\tilde{\mathbb{Q}} \in \mathcal{M}_{\mathcal{A}}} \{\mathbb{E}^{\tilde{\mathbb{Q}}}[-\lambda B - (1 - \lambda)C + E] - \alpha_{\mathcal{A}}(\tilde{\mathbb{Q}})\} \\ &= \rho_{\mathcal{A}}(\lambda B + (1 - \lambda)C - E) \\ &\leq \lambda \rho_{\mathcal{A}}(B) + (1 - \lambda) \rho_{\mathcal{A}}(C). \end{aligned}$$

Conversely, suppose that (2) holds, i.e., that (10) implies $B \sim C$, for all $B, C \in \mathbb{L}^\infty$. Then for any pair $B \approx C$ and every $\lambda \in (0, 1)$ we must have that

$$\rho_{\mathcal{A}}(\lambda B + (1 - \lambda)C) < \lambda \rho_{\mathcal{A}}(B) + (1 - \lambda) \rho_{\mathcal{A}}(C),$$

and it is enough to use $E = -\rho_{\mathcal{A}}(\lambda B + (1 - \lambda)C)$ to verify that (1) holds. $\square$

Definition 2 An acceptance set $\mathcal{A}$ is called *risk-strictly convex* if it satisfies either of the two equivalent statements in Proposition 2.

Under the assumption that the acceptance set $\mathcal{A}$ is risk-strictly convex, we can say a bit more about the effective domain of the penalty function of the induced risk measure, $\mathcal{M}_{\mathcal{A}}$.

Proposition 3 *If the acceptance set $\mathcal{A}$ is weak-* closed and risk-strictly convex, then $\mathcal{M}_{\mathcal{A}} \subseteq \mathcal{M}_e$.*

Proof Suppose, to the contrary, that there exists $\mathbb{Q} \in \mathcal{M}_{\mathcal{A}} \setminus \mathcal{M}_e$. Since $\mathcal{M}_{\mathcal{A}} \subseteq \mathcal{M}_a$, there exists $A \in \mathcal{F}$ be such that $\mathbb{Q}[A] = 0$, but $\mathbb{P}[A] > 0$. Then, since $\alpha_{\mathcal{A}}(\mathbb{Q}) = \sup_{B \in \mathbb{L}^\infty} (\mathbb{E}^{\mathbb{Q}}[-B] - \rho_{\mathcal{A}}(B))$, the choice $B = n\mathbf{1}_A - C$, for $C \in \mathbb{L}^\infty$ yields

$$\rho_{\mathcal{A}}(n\mathbf{1}_A - C) \geq \mathbb{E}^{\mathbb{Q}}[C - n\mathbf{1}_A] - \alpha_{\mathcal{A}}(\mathbb{Q}) = \mathbb{E}^{\mathbb{Q}}[C] - \alpha_{\mathcal{A}}(\mathbb{Q}).$$

By convexity, $\rho(C - n\mathbf{1}_A) \leq -\rho(n\mathbf{1}_A - C)$ which implies that

$$\rho_{\mathcal{A}}(C - n\mathbf{1}_A) \leq \mathbb{E}^{\mathbb{Q}}[-C] + \alpha_{\mathcal{A}}(\mathbb{Q}) < \infty,$$

for all $n \in \mathbb{N}$, and all $C \in \mathbb{L}^\infty$. Using the convexity of ρ one more time, we obtain

$$\rho(C - \mathbf{1}_A) \leq \frac{1}{n} \rho(C - n\mathbf{1}_A) + \left(1 - \frac{1}{n}\right) \rho(C) \leq \frac{1}{n} (\mathbb{E}^{\mathbb{Q}}[-C] + \alpha_{\mathcal{A}}(\mathbb{Q})) + \left(1 - \frac{1}{n}\right) \rho(C),$$

for each $n \in \mathbb{N}$, so $\rho(C - \mathbf{1}_A) = \rho(C)$. It follows now from Proposition 2 that $\mathbf{1}_A \in \mathcal{R}$, which is in contradiction with the assumption of No Free Lunch with Vanishing Risk. $\square$

Remark 6 In the terminology of Föllmer and Schied (2004, p. 173), a risk measure ρ is called *sensitive* if $\rho(-B) > 0$ for every $B \in \mathbb{L}_+^\infty \setminus \{0\}$. The fact, as stated in Proposition 3, that the minimizers of the penalty function $\alpha_{\mathcal{A}}(\cdot)$ are equivalent to $\mathbb{P}$ when $\mathcal{A}$ is risk-strictly convex, implies that a risk-strictly convex risk measures are sensitive. Indeed, by (9), $\rho_{\mathcal{A}}(-B) = \mathbb{E}^{\mathbb{Q}}[B] - \alpha_{\mathcal{A}}(\mathbb{Q})$, for any $\mathbb{Q} \in \partial \rho_{\mathcal{A}}(0)$. Clearly $\mathbb{E}^{\mathbb{Q}}[B] > 0$ and $\alpha_{\mathcal{A}}(\mathbb{Q})(B) \leq 0$, so $\rho_{\mathcal{A}}(-B) > 0$.

Another important property of risk-strictly convex acceptance sets is the following:

Proposition 4 *Let $\rho_{\mathcal{A}}$ be the risk measure corresponding to a weak-* closed, risk-strictly convex acceptance set $\mathcal{A}$. Then,*

$$\rho_{\mathcal{A}}(B) + \rho_{\mathcal{A}}(-B) > 0, \text{ for } B \in \mathbb{L}^\infty \setminus \mathcal{R}.$$

In particular, $\mathcal{A} \cap (-\mathcal{A}) = \mathcal{X}(0) \cap \mathcal{R}$.

Proof For any such $B \in \mathbb{L}^\infty \setminus \mathcal{R}$, $\rho_{\mathcal{A}}(B) + B \in \mathcal{A}$ and $\rho_{\mathcal{A}}(-B) - B \in \mathcal{A}$. By assumption (since $2B \notin \mathcal{R}$), there exists $E \in \mathbb{L}_+^\infty \setminus \{0\}$ such that

$$\frac{1}{2}(\rho_{\mathcal{A}}(B) + \rho_{\mathcal{A}}(-B)) - E \in \mathcal{A}.$$

Hence, $\frac{1}{2}(\rho_{\mathcal{A}}(B) + \rho_{\mathcal{A}}(-B)) - \rho_{\mathcal{A}}(-E) \geq 0$ and by monotonicity of $\rho_{\mathcal{A}}$, we get that $\rho_{\mathcal{A}}(B) + \rho_{\mathcal{A}}(-B) > 0$. The last statement follows from Corollary 1. $\square$

3 Mutually-agreeable bundles

3.1 The agents

We consider $I \geq 2$ financial agents and suppose that each agent i has access to a sub-market $\mathbf{S}_i$ of $\mathbf{S}$, i.e., she is allowed to invest only in $(S_t^{(0)}; S_t^{(j_1^i)}, \dots, S_t^{(j_{d_i}^i)})_{t \in [0, T]}$, where $1 \leq j_1^i < \dots < j_{d_i}^i \leq d$. Note that the numéraire $S^{(0)} \equiv 1$ is accessible to each agent. In order to take the whole market into account and avoid trivialities, we also assume that each component of $\mathbf{S}$ is accessible to at least one agent. Note that the Assumption 1 implies that $\mathcal{M}_a^i \neq \emptyset$, for all i , where

$$\mathcal{M}_a^i = \{\mathbb{Q} \ll \mathbb{P} : \mathbf{S}_i \text{ is a local martingale under } \mathbb{Q}\}, \quad i = 1, 2, \dots, I.$$

We define the sets $\mathcal{X}_i$, $\mathcal{X}_i(x)$, Θ_i and $\mathcal{R}_i$ exactly as in Sect. 2, with $\mathbf{S}_i$ used in lieu of $\mathbf{S}$. Moreover, each agent is assumed to have an acceptance set $\tilde{\mathcal{A}}_i$ which satisfies the axioms *Ax1*–*Ax4*. The induced risk measure $\rho_{\mathcal{A}_i}$ on $\mathbb{L}^\infty$ will be denoted by ρ_i , and $\mathcal{M}_i$ will be the shortcut for $\mathcal{M}_{\mathcal{A}_i}$, i.e., it will stand for the effective domain of the corresponding penalty function α_i , $i = 1, 2, \dots, I$. We further assume that the intersection $\tilde{\mathcal{A}}_i \cap \mathbb{L}^\infty$, denoted by $\mathcal{A}_i$, is weak-* closed and hence the induced risk measure $\rho_i = \rho_{\mathcal{A}_i}$ admits the following robust representation

$$\rho_i(B) = \sup_{\mathbb{Q} \in \mathcal{M}_i} \{\mathbb{E}^{\mathbb{Q}}[-B] - \alpha_i(\mathbb{Q})\}, \quad (11)$$

where $\mathcal{M}_i \subseteq \mathcal{M}_a^i$ for all i . As above, $\partial \rho_i(B)$ denotes the set of all maximizers in (11), for $B \in \mathbb{L}^\infty$ and $i = 1, 2, \dots, I$.

3.2 Bundles, allocations and agreement

For bundle of claims $\mathbf{B} = (B_1, B_2, \dots, B_n) \in (\mathbb{L}^\infty)^n$, $n \in \mathbb{N}$, a matrix $(a_{i,k}) = \mathbf{a} \in \mathbb{R}^{I \times n}$ is called a *feasible allocation* or simply an *allocation*, if $\sum_{i=1}^I a_{i,k} = 0$ for all $k = 1, 2, \dots, n$. For convenience, the i -th row $(a_{i,k})_{k=1}^n$ of $\mathbf{a}$ will be denoted by $\mathbf{a}_i$; it counts the quantities of each of the n components of $\mathbf{B}$ held by the agent i . The set

of all feasible allocations is denoted by $\mathbf{F}$, i.e.,

$$\mathbf{F} = \{a \in \mathbb{R}^{I \times n} \text{ such that } \sum_{i=1}^I a_i = (0, 0, \dots, 0)\}. \quad (12)$$

We usually think of the elements of $\mathbf{B}$ as the claims (typically not replicable in the liquid market $\mathbf{S}$) the agents are trading among themselves. These claims are in zero net supply, i.e., some of the agents will be taking positive and some negative positions in them. Clearly, the agents will be willing to share the bundle of claims $\mathbf{B}$ according to an allocation $a \in \mathbf{F}$ only if there exists a price vector $p \in \mathbb{R}^n$, for which the position $a_i \cdot \mathbf{B} - a_i \cdot p$ is acceptable for each agent i . More precisely, we give the following definition:

Definition 3 The pair $(\mathbf{B}, a) \in (\mathbb{L}^\infty)^n \times \mathbf{F}$ of a bundle of claims and an allocation is called *mutually agreeable* if there exists a (price) vector $p \in \mathbb{R}^n$ such that $a_i \cdot \mathbf{B} - a_i \cdot p \in \mathcal{A}_i$, for all $i = 1, 2, \dots, I$.

For a bundle $\mathbf{B} \in (\mathbb{L}^\infty)^n$, we define the subset $\mathcal{G}^{\mathbf{B}}$ of $\mathbb{R}^{I \times n}$ by

$$\mathcal{G}^{\mathbf{B}} = \{a \in \mathbf{F} : (\mathbf{B}, a) \text{ is mutually agreeable}\}.$$

Similarly, for an allocation a , let $\mathcal{G}^a$ denote the set of all feasible allocations of $\mathbf{B}$, acceptable for every agent:

$$\mathcal{G}^a = \{\mathbf{B} \in (\mathbb{L}^\infty)^n : (\mathbf{B}, a) \text{ is mutually agreeable}\}.$$

We also define $\hat{\mathcal{R}}_a = \{\mathbf{B} \in (\mathbb{L}^\infty)^n : a_i \cdot \mathbf{B} \in \mathcal{R}_i, \forall i = 1, 2, \dots, I\}$, for $a \in \mathbf{F}$.

While $\mathcal{G}^{\mathbf{B}}$ has a clear economic importance, that of its dual counterpart $\mathcal{G}^a$ is purely technical, as our next proposition shows.

Proposition 5 1. For every $\mathbf{B} \in (\mathbb{L}^\infty)^n$, the set $\mathcal{G}^{\mathbf{B}}$ is convex, closed in $\mathbb{R}^{n \times I}$ and $a \in \mathcal{G}^{\mathbf{B}} \cap \mathcal{G}^{-\mathbf{B}}$ implies that $\mathbf{B} \in \hat{\mathcal{R}}_a$.

2. For every allocation $a \in \mathbf{F}$, $\mathcal{G}^a$ is convex. If, additionally, $\mathcal{A}_i$ is weak*-closed and risk-strictly convex for every i , then

$$\mathcal{G}^a \cap (-\mathcal{G}^a) = \hat{\mathcal{R}}_a, \text{ for all } a \in \mathbf{F}.$$

Proof Since the proofs of the two statements are similar, we only prove (2), which is marginally more involved.

Convexity follows directly from the convexity of $\mathcal{A}_i$'s. For the second statement, suppose first that $\mathbf{B} \in \mathcal{G}^a \cap (-\mathcal{G}^a)$, i.e., there exist $p, \hat{p} \in \mathbb{R}^n$ such that $a_i \cdot \mathbf{B} - a_i \cdot p \in \mathcal{A}_i$ and $-a_i \cdot \mathbf{B} + a_i \cdot \hat{p} \in \mathcal{A}_i$, for all i . The convexity of $\mathcal{A}_i$ then implies that $\frac{1}{2}a_i \cdot (\hat{p} - p) \in \mathcal{A}_i$, which yields that $a_i \cdot (\hat{p} - p) \geq 0$, for all $i = 1, 2, \dots, I$. Since $\sum_{i=1}^I a_i = 0$, we conclude that for every agent $a_i \cdot p = a_i \cdot \hat{p}$. It follows that $\rho_i(a_i \cdot \mathbf{B}) \leq -a_i \cdot p$ and also $\rho_i(-a_i \cdot \mathbf{B}) \leq a_i \cdot p$ for all i . Consequently, $\rho_i(a_i \cdot \mathbf{B}) + \rho_i(-a_i \cdot \mathbf{B}) \leq 0$,

which means (thanks to the risk-strict convexity of ρ_i) that $\mathbf{a}_i \cdot \mathbf{B} \in \mathcal{R}_i$ for all i , i.e., $\mathbf{B} \in \hat{\mathcal{R}}_a$.

Conversely, let $\mathbf{B} \in \hat{\mathcal{R}}_a$ so that $\mathbf{a}_i \cdot \mathbf{B} \in \mathcal{R}_i$, for all i . We pick an arbitrary $\mathbb{Q} \in \mathcal{M}_a$ and define $\mathbf{p} = \mathbb{E}^{\mathbb{Q}}[\mathbf{B}] = (\mathbb{E}^{\mathbb{Q}}[B_1], \dots, \mathbb{E}^{\mathbb{Q}}[B_n]) \in \mathbb{R}^n$. Since $\mathbb{Q} \in \mathcal{M}_i^a$ for all i , we have $\mathbf{a}_i \cdot \mathbf{B} \in \mathcal{X}_i(\mathbf{a}_i \cdot \mathbf{p})$. By Corollary 1, $\mathbf{a}_i \cdot \mathbf{B} - \mathbf{a}_i \cdot \mathbf{p} + \in \mathcal{A}_i$, for all i , so that $\hat{\mathcal{R}}_a \subseteq \mathcal{G}^a$. It remains to observe that $\hat{\mathcal{R}}_{-a} = \hat{\mathcal{R}}_a$ and that $\mathcal{G}^{-a} = -\mathcal{G}^a$. $\square$

Another important notion in this setting is the inf-convolution of risk measures, first introduced in [Barrieu and Karoui \(2004\)](#).

Definition 4 The *inf-convolution* of the risk measures $\rho_1, \rho_2, \dots, \rho_I$ is the map

$$\rho_1 \diamond \dots \diamond \rho_I : \mathbb{L}^\infty \rightarrow \mathbb{R} \cup \{-\infty\},$$

defined for $C \in \mathbb{L}^\infty$ by

$$(\rho_1 \diamond \dots \diamond \rho_I)(C) = \inf \left\{ \sum_{i=1}^I \rho_i(B_i) : B_1, \dots, B_I \in \mathbb{L}^\infty, \sum_{i=1}^I B_i = C \right\}. \quad (13)$$

Let $\mathcal{M}$ denote the intersection $\cap_{i=1}^I \mathcal{M}_i$. The following assumption is equivalent to $(\rho_1 \diamond \dots \diamond \rho_I)(0) > -\infty$ (see [Barrieu and El Karoui 2005](#)):

Assumption 2 $\mathcal{M} \neq \emptyset$.

Remark 7 Thanks to the assumption that each component of $\mathbf{S}$ is available to at least one agent, we have that $\cap_{i=1}^I \mathcal{M}_e^i = \mathcal{M}_e$. Hence, if $\mathcal{A}_i$'s are risk-strictly convex, it holds that $\mathcal{M} \subseteq \mathcal{M}_e$ and hence Assumption 2 is a strengthening of Assumption 1.

The following Proposition is a mild generalization of Theorem 3.6 in [Barrieu and El Karoui \(2005\)](#), where the case of $I = 2$ is addressed. The proof when $I \geq 2$ is similar and hence omitted.

Proposition 6 If $\mathcal{A}_i$ is weak-* closed for every $i = 1, 2, \dots, I$, the Assumption 2 implies that the map $\rho_1 \diamond \dots \diamond \rho_I : \mathbb{L}^\infty \rightarrow \mathbb{R}$ is a convex risk measure, with penalty function $h(\mathbb{Q}) = \sum_{i=1}^I \alpha_i(\mathbb{Q})$ whose effective domain is $\mathcal{M}$.

Definition 5 We say that the agents are in a *Pareto-optimal configuration* if

$$(\rho_1 \diamond \dots \diamond \rho_I)(0) = 0.$$

In words, Pareto optimality implies that there is no wealth-preserving transaction that will be acceptable for everyone and strictly acceptable for at least one agent. The problem of Pareto-optimality is closely related to the problem of *optimal risk sharing* (sometimes called *Pareto optimal allocation*), which was recently addressed by many authors in the cases where agents use convex risk measures to value claim payoffs (see [Barrieu and El Karoui 2005](#); [Barrieu and Scandolo 2008](#); [Burgert and Rüschendorf 2008](#); [Filipović and Kupper 2008](#); [Heath and Ku 2004](#); [Jouini et al. 2006](#)). Below, we

state a well-known characterization of the Pareto optimality in terms of the minimizers of the penalty functions α_i . We remind the reader that $\partial\rho_i(B)$ stands for the set of maximizers in the robust representation (11) of $\rho_i(B)$ and omit the standard proof (see, e.g., Proposition 3.8 in Barrieu and Karoui (2004)):

Proposition 7 *The agents are in a Pareto-optimal configuration if and only if*

$$\cap_{i=1}^I \partial\rho_i(0) \neq \emptyset.$$

The following proposition states that if the agents are in Pareto-optimal configuration, the risk-strict convexity assumption implies that transactions involving non-replicable claims result in strictly increased risk for at least one of the agents involved in this transaction.

Proposition 8 *Assume that $\mathcal{A}_i$ are weak-* closed and risk-strictly convex for all $i = 1, 2, \dots, I$ and suppose that $(\rho_1 \diamond \dots \diamond \rho_I)(0) = 0$. For any choice of $B_1, B_2, \dots, B_I$ in $\mathbb{L}^\infty$ with $\sum_{i=1}^I B_i = 0$, it holds that*

$$\sum_{i=1}^I \rho_i(B_i) = 0 \text{ if and only if } B_i \in \mathcal{R}_i, \quad \text{for all } i = 1, 2, \dots, I.$$

Proof Assume that there exists $k \in \{1, 2, \dots, I\}$ such that $B_k \notin \mathcal{R}_k$. Then, by risk-strict convexity, for each $\lambda \in (0, 1)$ there exists $E \in \mathbb{L}_+^\infty \setminus \{0\}$ such that $\rho_k(\lambda B_k - E) \leq \lambda \rho_k(B_k)$. This implies that $\rho_k(\lambda B_k) < \lambda \rho_k(B_k)$. Since $\rho_i(\lambda B_i) - \lambda \rho_i(B_i) \leq 0$, $\forall i = 1, 2, \dots, I$, we have

$$\sum_{i=1}^I \rho_i(\lambda B_i) < \lambda \sum_{i=1}^I \rho_i(B_i) = 0,$$

which contradicts the assumption $(\rho_1 \diamond \dots \diamond \rho_I)(0) = 0$. The converse implication follows from the fact that when $B_i \in \mathcal{R}_i$, we have $\rho_i(B_i) = -\mathbb{E}^\mathbb{Q}[B_i]$, for any $\mathbb{Q} \in \mathcal{M}_a^i$. $\square$

Corollary 2 *Assume that all $\mathcal{A}_i$ are weak-* closed and risk-strictly convex and pick $a \in \mathbf{F}$ and $B \in \mathcal{G}^a$. If $\cap_{i=1}^I \partial\rho_i(0) \neq \emptyset$ then, $a_i \cdot B \in \mathcal{R}_i$, for every $i = 1, 2, \dots, I$.*

Proof $B \in \mathcal{G}^a$ means that there exists a price vector $\mathbf{p}$, such that $a_i \cdot B - a_i \cdot \mathbf{p} \in \mathcal{A}_i$, for all i . This implies that $\sum_{i=1}^I \rho_i(a_i \cdot B) \leq 0$, which, by the hypotheses and Proposition 8 yields that $a_i \cdot B \in \mathcal{R}_i$ for all $i = 1, 2, \dots, I$. $\square$

Example 2 Suppose that all I agents are exponential-utility maximizers with possibly different risk-aversion coefficients γ_i , $i = 1, 2, \dots, I$, i.e., $U_i(x) = -\exp(-\gamma_i x)$ (for details on the set of admissible strategies, we refer the reader to Delbaen et al. (2002) and Mania and Schweizer (2005)). Let $\mathcal{E}_i$, $i = 1, 2, \dots, I$, denote the agents' random endowments. If we follow the arguments of Proposition 3.15 in Anthropelos and Žitković (2008), we can conclude that in the case $\mathbf{S}_i = \mathbf{S}$ for all $i \in \{1, 2, \dots, I\}$,

the agents will be in the Pareto-optimal configuration if and only if $\frac{\gamma_i}{\gamma_j} \mathcal{E}_i \sim \mathcal{E}_j$, for all $i, j = 1, 2, \dots, I$. A special case of this condition occurs when the agents' random endowments are replicable. However, this is not the case when agents have access to different markets. To see that, let us consider the case $I = 2$, with $\mathbf{S}_1 \neq \mathbf{S}_2$ and $\mathcal{E}_1 = \mathcal{E}_2 = 0$. It follows from Theorem 2.2 in Delbaen et al. (2002), that $\partial \rho_1(0) = \partial \rho_2(0)$ (both are singletons in this case) if and only if $\gamma_1(\boldsymbol{\vartheta}_1^{(0)} \cdot \mathbf{S}_1)_T = \gamma_2(\boldsymbol{\vartheta}_2^{(0)} \cdot \mathbf{S}_2)_T$, where $\boldsymbol{\vartheta}_i^{(0)}$ is the optimal trading strategy in the market $\mathbf{S}_i$ of the agent i , $i = 1, 2$.

Example 3 The case where agents use power utility function, $U(x) = \frac{1}{p}x^p$, where $p \neq 0$ is the relative risk aversion coefficient, is similar to the previous example. Without going into details, let us mention that it is known (see for instance Schachermayer (2004)) that if all agents have access to the same market, then $\partial \rho_i(0) = \partial \rho_j(0)$, for all i, j if and only if the agents' relative risk aversion coefficients are equal, regardless of their initial wealths. However, when agents have access to different markets, counterexamples can be readily constructed.

4 The partial-equilibrium price-allocation

4.1 The definition

Having introduced the setup consisting of I agents, their acceptance sets and accessible assets, we turn to the partial-equilibrium pricing problem for a fixed bundle of claims $\mathbf{B} \in (\mathbb{L}^\infty)^n$. The main task of section is to prove existence and uniqueness of a partial-equilibrium price for a given bundle $\mathbf{B} \in (\mathbb{L}^\infty)^n$. We follow the classical paradigm: the price vector $\mathbf{p}$ is a *partial-equilibrium price* of $\mathbf{B}$, if, when $\mathbf{B}$ trades at $\mathbf{p}$, demand and supply for each of its components offset each other, i.e., the market for $\mathbf{B}$ clears.

Clearly, we must first specify what we mean by “demand and supply”, i.e., we need to analyze single agent's behavior. The natural assumption we make is that in a set of payoffs, an agent will choose the one which minimizes the capital requirement. For linear combinations of the components of $\mathbf{B}$, we have the following, more precise, definition:

Definition 6 For $i \in \{1, 2, \dots, I\}$, the agent i 's demand correspondence $Z_i : \mathbb{R}^n \rightarrow 2^{\mathbb{R}^n}$ is defined by

$$Z_i(\mathbf{p}) = \operatorname{argmin}_{\mathbf{a} \in \mathbb{R}^n} \{\rho_i(\mathbf{a} \cdot \mathbf{B} - \mathbf{a} \cdot \mathbf{p})\} \quad (14)$$

Once the notion of demand is defined, we are ready to give a precise definition of the equilibrium. The reader will observe that we do not require the agents' positions in the liquid markets to clear. Indeed, that is exactly what makes our equilibrium “partial”. The liquid markets are interpreted as much bigger than the market for $\mathbf{B}$, and our agents are simply price-takers there, i.e., cannot affect the prices by trading.

Definition 7 We say that the pair $(\mathbf{p}, \mathbf{a}) \in \mathbb{R}^n \times \mathbf{F}$ is a *partial-equilibrium price-allocation (PEPA)*, if $\mathbf{a}_i \in Z_i(\mathbf{p})$ for every $1 \leq i \leq I$.

Remark 8 It is immediately clear that there exists a PEPA of the form $(\mathbf{p}, \mathbf{a})$ if and only if

$$\mathbf{0} \in \left\{ \sum_{i=1}^I \mathbf{a}_i : \mathbf{a}_i \in Z_i(\mathbf{p}), i = 1, 2, \dots, I \right\}. \quad (15)$$

4.2 Existence and uniqueness of a partial equilibrium

Our main result, Theorem 1, which asserts that a PEPA exists and is unique, rests on a few natural assumptions. The first one among them is a finite-dimensional version of the risk strict-convexity condition of Definition 2. In fact, the proof of next result is so similar to the proof of Proposition 2, that we omit it altogether.

Proposition 9 *Suppose that the acceptance set $\mathcal{A}_i$ of the agent i is weak- $*$ closed and that $\mathbf{B}$ is a bundle in $(\mathbb{L}^\infty)^n$. Then, the following two statements are equivalent:*

1. *for every $(\mathbf{a}, m), (\delta, k) \in \mathcal{A}(\mathbf{B}) = \{(\mathbf{a}, m) \in \mathbb{R}^n \times \mathbb{R} : \mathbf{a} \cdot \mathbf{B} + m \in \mathcal{A}\}$ such that $\mathbf{a} \neq \delta$ and for every $\lambda \in (0, 1)$ there exists a random variable $E \in \mathbb{L}_+^\infty$ and $\mathbb{Q} \in \partial \rho_i(\lambda \mathbf{a} + (1 - \lambda)\delta) \cdot \mathbf{B}$, such that $\mathbb{Q}(E > 0) > 0$ and*

$$\lambda(\mathbf{a} \cdot \mathbf{B} + m) + (1 - \lambda)(\delta \cdot \mathbf{B} + k) - E \in \mathcal{A}.$$

2. *The function $\mathbb{R}^n \ni \mathbf{a} \mapsto \rho_i(\mathbf{a} \cdot \mathbf{B})$ is strictly convex.*

Definition 8 Let $\mathcal{A}_i$ be a weak- $*$ closed acceptance set. For a bundle $\mathbf{B} \in (\mathbb{L}^\infty)^n$, we say that $\mathcal{A}$ is *strictly convex with respect to $\mathbf{B}$* if either of the two equivalent statements in Proposition 9 holds.

- Remark 9**
1. For $\mathbf{B}$ such that $\mathbf{a} \cdot \mathbf{B} \notin \mathcal{R}_i$ for $\mathbf{a} \neq \mathbf{0}$, the strict convexity of $\mathcal{A}_i$ with respect to $\mathbf{B}$ is implied by the requirement of risk-strict convexity of Definition 2 above.
 2. One of the central technical benefits of introducing the notion of risk strict convexity is the functionality (single-valuedness) of the demand correspondence Z it induces. See Remark 13 in the Appendix for details.

The following two assumptions will be in effect throughout the section:

Assumption 3 *The acceptance set $\mathcal{A}_i$ is weak- $*$ closed and strictly convex with respect to $\mathbf{B}$, for all $i = 1, 2, \dots, I$.*

Assumption 4 *For each $\delta \in \mathbb{R}^n \setminus \{\mathbf{0}\}$, $\inf_{\mathbb{Q} \in \mathcal{M}} \mathbb{E}^\mathbb{Q}[\delta \cdot \mathbf{B}] < \sup_{\mathbb{Q} \in \mathcal{M}} \mathbb{E}^\mathbb{Q}[\delta \cdot \mathbf{B}]$.*

Remark 10 Assumption 4 implies, in particular, that for every $i = 1, 2, \dots, I$, there is no $\delta \in \mathbb{R}^n \setminus \{\mathbf{0}\}$ such that $\delta \cdot \mathbf{B} \in \mathcal{X}_i^\infty$. That means, further, that there is no $\delta \in \mathbb{R}^n \setminus \{\mathbf{0}\}$ such $\delta \cdot \mathbf{B} \in \mathcal{R}_i$.

The following theorem contains the main result of the section. Its proof, preceded by two technical lemmas, is relegated to the Appendix.

Theorem 1 Under Assumptions 2–4, there exists a unique partial-equilibrium price-allocation $(\hat{\mathbf{p}}, \hat{\mathbf{a}})$. Moreover, for each $i = 1, 2, \dots, I$, $Z_i(\hat{\mathbf{p}}) = \{\hat{\mathbf{a}}_i\}$ and there exists a probability measure $\mathbb{Q}^i \in \mathcal{M}_i$ such that $\hat{\mathbf{p}} = \mathbb{E}^{\mathbb{Q}^i}[\mathbf{B}]$.

- Remark 11* 1. Theorem 1 can be viewed as a generalization of Theorem 5.8 in Anthropolos and Žitković (2008), where the situation described in Example 2 involving two exponential utility maximizers is extensively analyzed.
2. The fact that the demand correspondence depends on the bundle $\mathbf{B}$ only through its risk-equivalence class implies that equilibrium allocations of two bundles with pairwise risk-equivalent components are the same. Their equilibrium prices will, however, differ by a constant (vector) which corresponds to the cost of the replication of their difference.
 3. The second statement of Theorem 1 implies directly that $\hat{\mathbf{p}}$ is a non-arbitrage price of the bundle of claims $\mathbf{B}$. Alternatively, one could argue that no price $\mathbf{p}$ which is not in the appropriate arbitrage-free interval could be an equilibrium price since it would lead to infinite demand and, thus, preclude market clearing.
 4. When the agents are in a Pareto optimal configuration then the pair $(\mathbf{p}, \mathbf{a}) \in \mathbb{R}^n \times \mathbf{F}$ is a PEPA if and only if $\mathbf{a} = \mathbf{0}$ and $\emptyset \neq Z_i(\mathbf{p})$, for all $i = 1, \dots, I$. To see this, assume that the (unique) PEPA is of the form $(\mathbf{p}, \mathbf{a})$, for some $\mathbf{a} \neq \mathbf{0}$. Then, by the definition of Z_i , we have $\rho_i(\mathbf{a}_i \cdot \mathbf{B}) + \mathbf{a}_i \cdot \mathbf{p} \leq 0$ for all i , and, due to the strict convexity of the risk measures, the inequality is strict for at least two agents. This implies that $\sum_{i=1}^I \rho_i(\mathbf{a}_i \cdot \mathbf{B}) < 0$, which contradicts the assumption of Pareto optimality. The economic interpretation of the above statement is clear - the agents will not engage in trade if they are already in a configuration which cannot be improved upon.

5 The well-posedness of the equilibrium pricing

The exact shape of agents' acceptance sets, which incorporate their risk preferences, endowments and investment goals, is extremely difficult to estimate in practice. It is therefore natural to ask whether the induced equilibrium pricing is stable with respect to small perturbation in the agents' acceptance sets. To be more precise, we want to check whether the equilibrium pricing scheme, presented in Sect. 4, is a *well-posed problem* in the sense of Hadamard (1902), i.e., if its solution exists, is unique and stable with respect to the input data (the agents' acceptance sets in this case). Having solved the problem of existence and uniqueness (see Theorem 1), we turn our attention to the following question: can we specify a convergence (concept) $\xrightarrow{(*)}$ for I -tuples of the weak-* closed acceptance sets $(\mathcal{A}_i^{(m)})_{i=1}^I = (\mathcal{A}_1^{(m)}, \mathcal{A}_2^{(m)}, \dots, \mathcal{A}_I^{(m)})$, for which

$$(\mathcal{A}_1^{(m)}, \mathcal{A}_2^{(m)}, \dots, \mathcal{A}_I^{(m)}) \xrightarrow{(*)} (\mathcal{A}_1, \mathcal{A}_2, \dots, \mathcal{A}_I) \implies (\hat{\mathbf{p}}^{(m)}, \hat{\mathbf{a}}^{(m)}) \rightarrow (\hat{\mathbf{p}}, \hat{\mathbf{a}}), \quad (16)$$

where $(\hat{\mathbf{p}}^{(m)}, \hat{\mathbf{a}}^{(m)})$ is the PEPA obtained by the acceptance sets $(\mathcal{A}_i^{(m)})_{i=1}^I$ and $(\hat{\mathbf{p}}, \hat{\mathbf{a}})$ is the corresponding to $(\mathcal{A}_i)_{i=1}^I$ PEPA?

As we shall explain shortly, it turns out that the right notion is related to *Kuratowski* convergence (see Chapter 8 in [Lucchetti \(2006\)](#) and Chapter 7 in [Rockafellar and Wets \(1998\)](#) for a further analysis):

Definition 9 A sequence of closed subsets $C_m \subseteq \mathbb{R}^l$, $l \in \mathbb{N}$, converges to the subset C in Kuratowski sense (and we write $C_m \xrightarrow{K} C$) if

$$\text{Ls } C_m \subseteq C \subseteq \text{Li } C_m, \quad (17)$$

where

$$\text{Li } C_m = \left\{ c \in \mathbb{R}^l : c = \lim c_k, c_k \in C_k \text{ eventually} \right\}$$

and

$$\text{Ls } C_m = \left\{ c \in \mathbb{R}^l : c = \lim c_k, c_k \in C_{n_k}, n_k \text{ a subsequence of integers} \right\}.$$

We say that a sequence $\{f_m\}_{m \in \mathbb{N}}$ of lower semi-continuous functions $f_m : \mathbb{R}^l \rightarrow \mathbb{R}$ converges to a function f in the Kuratowski sense (and we write $f_m \xrightarrow{K} f$) if $\text{epi}(f_m) \xrightarrow{K} \text{epi}(f)$. We remind the reader that the epigraph of a function $f : \mathbb{R}^n \rightarrow \mathbb{R}$ is the set $\text{epi}(f) = \{(a, c) \in \mathbb{R}^n \times \mathbb{R} : f(a) \leq c\}$. A characterization of the Kuratowski convergence for sequences of functions is given by Theorem 8.6.3 in [Lucchetti \(2006\)](#) (see also Proposition 7.2 in [Rockafellar and Wets \(1998\)](#)); $f_m \xrightarrow{K} f$ if and only if the following two conditions hold:

- (a) For every $x \in \mathbb{R}^k$ and every sequence x_n such that $x_n \rightarrow x$, $\liminf f_n(x_n) \geq f(x)$ and
- (b) For every $x \in \mathbb{R}^k$ there exists a sequence x_n such that $x_n \rightarrow x$ and $\limsup f_n(x_n) \leq f(x)$.

The Kuratowski convergence and its versions for more general topological spaces have been extensively used in the study of the well-posedness of a variety of variational problems (see [Rockafellar and Wets \(1998\)](#) for problems in $\mathbb{R}^n$ and [Dontchev and Zolezzi \(1993\)](#) and [Lucchetti \(2006\)](#) for general spaces).

In what follows, for each agent i , we consider a sequence of weak-* closed acceptance sets $\mathcal{A}_i^{(m)}$ and a limiting weak-* closed acceptance set $\mathcal{A}_i$, all of which satisfy the axioms $Ax1$ – $Ax4$. The induced convex capital requirements are denoted by $\rho_i^{(m)}(\cdot)$ and $\rho_i(\cdot)$ respectively, and $\mathcal{M}_i^{(m)}$ and $\mathcal{M}_i$ stand for the effective domains of the corresponding penalty functions, $\alpha_i^{(m)}$ and α_i .

In the effort to show that the Kuratowski convergence allows for a positive answer to our central question, we establish the following auxiliary result. The reader is reminded that the definition of the sets $\mathcal{A}_i(\mathbf{B})$ is given in the statement of Proposition 9, part (1).

Lemma 1 For a given bundle of claims $\mathbf{B}$, if $\mathcal{A}_i^{(m)}(\mathbf{B}) \xrightarrow{K} \mathcal{A}_i(\mathbf{B})$ for every $i \in \{1, 2, \dots, I\}$, then the sequence of functions $\mathbf{a} \ni \mathbb{R}^n \mapsto \rho_i^{(m)}(\mathbf{a} \cdot \mathbf{B})$ converges pointwise to the function $\mathbf{a} \ni \mathbb{R}^n \mapsto \rho_i(\mathbf{a} \cdot \mathbf{B})$.

Proof By (6), for a bundle $\mathbf{B} \in (\mathbb{L}^\infty)^n$, the set $\mathcal{A}(\mathbf{B})$ is the epigraph of the function $\mathbb{R}^n \ni \mathbf{a} \mapsto \rho_{\mathcal{A}}(\mathbf{a} \cdot \mathbf{B}) \in \mathbb{R}$. Hence, $\mathcal{A}_i^{(m)}(\mathbf{B}) \xrightarrow{K} \mathcal{A}_i(\mathbf{B})$ is equivalent to the Kuratowski convergence of the sequence of functions $\mathbf{a} \ni \mathbb{R}^n \mapsto \rho_i^{(m)}(\mathbf{a} \cdot \mathbf{B})$.

It is shown in Rockafellar and Wets (1998, Theorem 7.17), that for any sequence $(f_m)_{m \in \mathbb{N}}$ of convex functions on $\mathbb{R}^n$, $f_m \xrightarrow{K} f$ implies that $f_m \rightarrow f$ pointwise in $\mathbb{R}^n$, provided that f is a convex, lower semi-continuous function and its effective domain has non-empty interior. It is, therefore, enough to observe that the function $\mathbf{a} \ni \mathbb{R}^n \mapsto \rho_i(\mathbf{a} \cdot \mathbf{B})$ is convex and lower semi-continuous in $\mathbb{R}^n$, since $\rho_i : \mathbb{L}^\infty \rightarrow \mathbb{R}$ is convex and $\sigma(\mathbb{L}^\infty, \mathbb{L}^1)$ -lower semi-continuous risk measure. $\square$

As the reader can easily check, Kuratowski convergence will not, in general, preserve strict convexity. In order to guarantee that the limiting acceptance set $\mathcal{A}_i$ is strictly convex with respect to the fixed bundle of claims $\mathbf{B}$, we must assume that the strict convexity of $\mathcal{A}_i^{(m)}$ with respect to $\mathbf{B}$ satisfies a certain uniformity criterion.

Definition 10 A sequence of acceptance sets $(\mathcal{A}^{(m)})_{m \in \mathbb{N}}$ is *uniformly strictly convex* with respect to a bundle $\mathbf{B} \in (\mathbb{L}^\infty)^n$, if for every $(\mathbf{a}, c), (\delta, k) \in \mathcal{A}^{(m)}(\mathbf{B})$ such that $\mathbf{a} \neq \delta$, the following statement holds:

for every $\lambda \in (0, 1)$ there exists a random variable $E \in \mathbb{L}_+^\infty$, such that $\mathbb{Q}[E > 0] > 0$, for some $\mathbb{Q} \in \partial \rho_i^{(m)}((\lambda \mathbf{a} + (1 - \lambda)\delta) \cdot \mathbf{B})$ and

$$\lambda(\mathbf{a} \cdot \mathbf{B} + c) + (1 - \lambda)(\delta \cdot \mathbf{B} + k) - E \in \mathcal{A}^{(m)},$$

for all $m \in \mathbb{N}$.

It follows from the definition of Kuratowski convergence, that if $(\mathcal{A}_i^{(m)})_{m \in \mathbb{N}}$ is uniformly strictly convex with respect to $\mathbf{B}$ and $\mathcal{A}_i^{(m)}(\mathbf{B}) \xrightarrow{K} \mathcal{A}_i(\mathbf{B})$, then $\mathcal{A}_i$ is also strictly convex with respect to $\mathbf{B}$. This fact and Lemma 3 imply, in particular, that the function $\mathbf{a} \ni \mathbb{R}^n \mapsto \rho_i(\mathbf{a} \cdot \mathbf{B})$ is strictly convex and differentiable on $\mathbb{R}^n$, if we further assume that $\mathbf{B}$ is not redundant, i.e., there is no $\delta \in \mathbb{R}^n$, such that $\delta \cdot \mathbf{B} \in \mathcal{R}_i$.

Assumption 5 The sequence $\{\mathcal{A}_i^{(m)}\}_{m \in \mathbb{N}}$ of acceptance sets is uniformly strictly convex with respect to the bundle $\mathbf{B}$.

Assumption 6 $\emptyset \neq \cap_{i=1}^I \mathcal{M}_i^{(m)} \subseteq \mathcal{M}$, for all $m \in \mathbb{N}$.

Assumption 7 For each $m \in \mathbb{N}$ and $\delta \in \mathbb{R}^n \setminus \{\mathbf{0}\}$,

$$\inf_{\mathbb{Q} \in \mathcal{M}^{(m)}} \mathbb{E}^{\mathbb{Q}}[\delta \cdot \mathbf{B}] < \sup_{\mathbb{Q} \in \mathcal{M}^{(m)}} \mathbb{E}^{\mathbb{Q}}[\delta \cdot \mathbf{B}].$$

It follows from Theorem 1 that under the Assumptions 5–7 there exists a unique PEPA, $(\hat{\mathbf{p}}^{(m)}, \hat{\mathbf{a}}^{(m)})$, for every $m \in \mathbb{N}$. Furthermore, the induced strict convexity of $\mathcal{A}_i$ with respect to $\mathbf{B}$ means that the conditions for existence and uniqueness of PEPA hold even for the limiting risk measures ρ_i . Moreover, it turns out that those same conditions guarantee that the problem is well posed:

Theorem 2 *Under Assumptions 5–7, for each $m \in \mathbb{N}$ there exists a unique PEPA $(\hat{\mathbf{p}}^{(m)}, \hat{\mathbf{a}}^{(m)})$ for agents with acceptance sets $(\mathcal{A}_i^{(m)})_{i=1}^I$. Also, the convergence*

$$\mathcal{A}_i^{(m)}(\mathbf{B}) \xrightarrow{K} \mathcal{A}_i(\mathbf{B})$$

for every $i \in \{1, 2, \dots, I\}$ implies that

- (i) *There exists a unique PEPA $(\hat{\mathbf{p}}, \hat{\mathbf{a}})$ for agents with acceptance sets $(\mathcal{A}_i)_{i=1}^I$ and*
- (ii) *$(\hat{\mathbf{p}}^{(m)}, \hat{\mathbf{a}}^{(m)}) \rightarrow (\hat{\mathbf{p}}, \hat{\mathbf{a}})$ in $\mathbb{R}^n \times \mathbb{R}^{n \times I}$.*

Proof The existence and the uniqueness of the PEPA for agents with acceptance sets $(\mathcal{A}_i^{(m)})_{i=1}^I$ follows directly from Theorem 1. By Lemma 1, the Kuratowski convergence $\mathcal{A}_i^{(m)}(\mathbf{B}) \xrightarrow{K} \mathcal{A}_i(\mathbf{B})$ implies that $\rho_i^{(m)}(\mathbf{a} \cdot \mathbf{B}) \rightarrow \rho_i(\mathbf{a} \cdot \mathbf{B})$, for every $\mathbf{a} \in \mathbb{R}^n$ and that the function $\mathbf{a} \ni \mathbb{R}^n \mapsto \rho_i(\mathbf{a} \cdot \mathbf{B})$ is strictly convex. Then, the existence and the uniqueness of the PEPA $(\hat{\mathbf{p}}, \hat{\mathbf{a}})$, for agents with acceptance sets $(\mathcal{A}_i)_{i=1}^I$ is guaranteed again by Theorem 1.

Following the lines of the proof of Theorem 1, for each $m \in \mathbb{N}$ we define the strictly-convex function $f_m : \mathbb{R}^{n \times (I-1)} \rightarrow \mathbb{R}$ by

$$f_m(\mathbf{a}) = \rho_1^{(m)}(\mathbf{a}_1 \cdot \mathbf{B}) + \rho_2^{(m)}(\mathbf{a}_2 \cdot \mathbf{B}) + \dots + \rho_{I-1}^{(m)}(\mathbf{a}_{I-1} \cdot \mathbf{B}) + \rho_I^{(m)}\left(\left(-\sum_{i=1}^{I-1} \mathbf{a}_i\right) \cdot \mathbf{B}\right),$$

and note that it admits a unique minimizer, $\tilde{\mathbf{a}}^{(m)} \in \mathbb{R}^{n \times (I-1)}$ (where in fact, $\tilde{\mathbf{a}}_i^{(m)} = \hat{\mathbf{a}}_i^{(m)}$ for every $i = 1, 2, \dots, I-1$). Similarly, we define the function

$$f(\mathbf{a}) = \rho_1(\mathbf{a}_1 \cdot \mathbf{B}) + \rho_2(\mathbf{a}_2 \cdot \mathbf{B}) + \dots + \rho_{I-1}(\mathbf{a}_{I-1} \cdot \mathbf{B}) + \rho_I\left(\left(-\sum_{i=1}^{I-1} \mathbf{a}_i\right) \cdot \mathbf{B}\right).$$

which is also strictly convex and has a unique minimizer $\tilde{\mathbf{a}} \in \mathbb{R}^{n \times (I-1)}$ (where, $\tilde{\mathbf{a}}_i = \hat{\mathbf{a}}_i$ for every $i = 1, 2, \dots, I-1$). Note that the pointwise convergence $\rho_i^{(m)}(\mathbf{a} \cdot \mathbf{B}) \rightarrow \rho_i(\mathbf{a} \cdot \mathbf{B})$, trivially implies that $f_m(\mathbf{a}) \rightarrow f(\mathbf{a})$, for every $\mathbf{a} \in \mathbb{R}^{n \times (I-1)}$. In order to show that $\hat{\mathbf{a}}^{(m)} \rightarrow \hat{\mathbf{a}}$, as $m \rightarrow \infty$, we first recall a well-known result (see for instance Example I.7 in Dontchev and Zolezzi (1993)) that if f is a convex, lower-semicontinuous function and has a minimizer $\tilde{\mathbf{a}}$, then for every sequence $\delta^{(m)} \in \mathbb{R}^{n \times (I-1)}$ such that

$$f(\delta^{(m)}) \rightarrow f(\tilde{\mathbf{a}}),$$

it holds that $\delta^{(m)} \rightarrow \tilde{\mathbf{a}}$. In other words, the problem of minimizing f in $\mathbb{R}^{n \times (I-1)}$ is well posed in the sense of Tykhonov. This implies that for every $\varepsilon > 0$ there exists $b \in \mathbb{R}_+$ such that

$$\left\{ \mathbf{a} \in \mathbb{R}^{n \times (I-1)} : f(\mathbf{a}) \leq b + f(\tilde{\mathbf{a}}) \right\} \subseteq \left\{ \mathbf{a} \in \mathbb{R}^{n \times (I-1)} : \|\mathbf{a} - \tilde{\mathbf{a}}\| < \varepsilon \right\}. \quad (18)$$

By Lemma II.21 in [Dontchev and Zolezzi \(1993\)](#), for every $b \in \mathbb{R}_+$ and sufficiently large m we have

$$\left\{ \mathbf{a} \in \mathbb{R}^{n \times (I-1)} : f_m(\mathbf{a}) \leq b + f_m(\tilde{\mathbf{a}}^{(m)}) \right\} \subseteq \left\{ \mathbf{a} \in \mathbb{R}^{n \times (I-1)} : f(\mathbf{a}) \leq 2b + f(\tilde{\mathbf{a}}) \right\}. \quad (19)$$

Combination of (19) and (18) yields the convergence $\tilde{\mathbf{a}}^{(m)} \rightarrow \tilde{\mathbf{a}}$, which trivially implies the convergence of partial equilibrium allocations, $\hat{\mathbf{a}}^{(m)} \rightarrow \hat{\mathbf{a}}$. The definition of the equilibrium price yields that

$$\nabla \rho_i^{(m)}(\hat{\mathbf{a}}_i^{(m)} \cdot \mathbf{B}) = -\hat{\mathbf{p}}^{(m)},$$

for every $m \in \mathbb{N}$. Theorem 25.7 in [Rockafellar \(1970\)](#) implies that the convergence $\rho_i^{(m)}(\mathbf{a} \cdot \mathbf{B}) \rightarrow \rho_i(\mathbf{a} \cdot \mathbf{B})$ for every $\mathbf{a} \in \mathbb{R}^n$ and the fact that the limiting function $\mathbf{a} \ni \mathbb{R}^n \mapsto \rho_i(\mathbf{a} \cdot \mathbf{B})$ is differentiable in $\mathbb{R}^n$ yield that

$$\nabla \rho_i^{(m)}(\mathbf{a} \cdot \mathbf{B}) \rightarrow \nabla \rho_i(\mathbf{a} \cdot \mathbf{B}),$$

for every $\mathbf{a} \in \mathbb{R}^n$ and every $i = \{1, 2, \dots, I\}$. Furthermore, the same Theorem states that this convergence is uniform on compacts in $\mathbb{R}^n$, so

$$\hat{\mathbf{p}}^{(m)} = \nabla \rho_i^{(m)}(\hat{\mathbf{a}}_i^{(m)} \cdot \mathbf{B}) \longrightarrow \nabla \rho_i(\hat{\mathbf{a}}_i \cdot \mathbf{B}) = \hat{\mathbf{p}}.$$

□

We conclude with an example in which we show what Kuratowski convergence looks like in a familiar setting:

Example 4 We consider the utility-based acceptance sets discussed in [Example 1](#) for the agent i (see [Hugonnier and Kramkov \(2004\)](#) for technical details) and we consider a sequence of utility functions $(U_i^{(m)})_{m \in \mathbb{N}}$, a sequence of probability measures $(\mathbb{P}^{(m)})_{m \in \mathbb{N}}$, and a sequence of initial wealths $(x_i^{(m)})_{m \in \mathbb{N}}$. For every $\mathbf{B} \in \mathbb{L}^\infty$, $x \in \mathbb{R}_+$ and $m \in \mathbb{N}$, we define the indirect utility

$$u_i^{(m)}(x|\mathbf{B}) = \sup_{X \in \mathcal{X}(x)} \mathbb{E}^{\mathbb{P}^{(m)}}[U_i^{(m)}(X + \mathbf{B})],$$

where $\mathcal{X}(x)$ is a set of terminal wealths of admissible strategies; see page 848 in [Hugonnier and Kramkov \(2004\)](#) for the exact definition (note that our set $\mathcal{X}(x)$ corresponds to their $\mathcal{X}(x, 1)$, and that their notion of acceptability reduces to our admissibility due to boundedness of $\mathbf{B}$). The corresponding sequence of acceptance sets is then given by

$$\mathcal{A}_i^{(m)} = \left\{ \mathbf{B} \in \mathbb{L}^\infty : u_i^{(m)}(x_i^{(m)} | \mathbf{B}) \geq u_i^{(m)}(x_i^{(m)} | 0) \right\}.$$

for every $m \in \mathbb{N}$. It was proved in [Kardaras and Žitković \(2007, Theorem 1.5\)](#), that the following convergence conditions

$$\mathbb{P}^{(m)} \rightarrow \mathbb{P} \text{ in total variation, } U_i^{(m)} \rightarrow U_i \text{ pointwise in } \mathbb{R}_+ \text{ and } x_i^{(m)} \rightarrow x_i,$$

(together with some additional technical assumptions), yield that for every non-redundant bundle $\mathbf{B} \in (\mathbb{L}^\infty)^n$, we have that

$$u_i^{(m)}(x_i^{(m)} | \mathbf{a}^{(m)} \cdot \mathbf{B}) \rightarrow u_i(x_i | \mathbf{a} \cdot \mathbf{B}), \quad (20)$$

for every sequence $\mathbf{a}^{(m)} \in \mathbb{R}^n$ that converges to some $\mathbf{a} \in \mathbb{R}^n$. It is, then, straightforward to get that (20) imply that $\mathcal{A}_i^{(m)}(\mathbf{B}) \xrightarrow{K} \mathcal{A}_i(\mathbf{B})$, which in turn guarantees that the equilibrium price-allocation of $\mathbf{B}$ is well-posed.

A A proof of the main result

In order not to interfere with the flow of the exposition, we present two technical lemmas and the proof of our main Theorem 1 here in the Appendix.

We start by introducing necessary notation.

$$\mathcal{M}_i^{\mathbf{B}} = \bigcup_{\delta \in \mathbb{R}^n} \partial \rho_i(\delta \cdot \mathbf{B}) \subseteq \mathcal{M}_i, \quad \mathcal{P}_i^{\mathbf{B}} = \left\{ \mathbb{E}^{\mathbb{Q}}[\mathbf{B}] : \mathbb{Q} \in \mathcal{M}_i^{\mathbf{B}} \right\} \subseteq \mathbb{R}^n.$$

Remark 12 The sets $\mathcal{M}_i^{\mathbf{B}}$ and $\mathcal{P}_i^{\mathbf{B}}$ defined above can be thought of as “restricted” versions of the sets $\mathcal{M}_i$ and $\{\mathbb{E}^{\mathbb{Q}}[\mathbf{B}] : \mathbb{Q} \in \mathcal{M}_i\}$, where only the martingale measures “compatible” with the acceptance set $\mathcal{A}_i$ are collected. These sets have been defined and used in the literature before (see, e.g., [Delbaen et al. 2002](#)).

In the exponential case, the set $\mathcal{M}_i^{\mathbf{B}}$ coincides with the set of equivalent martingale measures with finite entropy, $\mathcal{M}_{e,f}$ (see [Delbaen et al. \(2002\)](#) for terminology and the proofs of results mentioned below). It is known that, when the stock-prices are locally bounded, $\mathcal{M}_{e,f}$ is dense in $\mathcal{M}_e$. Consequently, the set $\mathcal{P}_i^{\mathbf{B}}$ coincides with the full family of non-arbitrage prices of $\mathbf{B}$.

Lemma 2 *Pick $i \in \{1, 2, \dots, I\}$ and assume that that $\mathcal{A}_i$ is weak-* closed and strictly convex with respect to $\mathbf{B}$. Let $\{\mathbf{a}_k\}_{k \in \mathbb{N}}$ be a sequence of the form $\mathbf{a}_k = \mathbf{a}_0 + \gamma_k \mathbf{v} \in \mathbb{R}^n$, for some $\mathbf{v} \in \mathbb{R}^n \setminus \{0\}$, $\mathbf{a}_0 \in \mathbb{R}^n$, and a sequence $\{\gamma_k\}_{k \in \mathbb{N}}$ of positive constants with*

$\lim_k \gamma_k = \infty$. If $\{\mathbb{Q}_k\}_{k \in \mathbb{N}}$ is an arbitrary sequence of probability measures with $\mathbb{Q}_k \in \partial \rho_i(-\mathbf{a}_k \cdot \mathbf{B})$, then

$$\lim_{k \rightarrow \infty} \mathbb{E}^{\mathbb{Q}_k}[\mathbf{v} \cdot \mathbf{B}] = \sup_{\mathbb{Q} \in \mathcal{M}_i} \mathbb{E}^{\mathbb{Q}}[\mathbf{v} \cdot \mathbf{B}] = \sup_{\mathbf{p} \in \mathcal{P}_i^{\mathbf{B}}} \mathbf{v} \cdot \mathbf{p}. \quad (21)$$

Proof Our first claim is that

$$\lim_{k \rightarrow \infty} \frac{\rho_i(-\mathbf{a}_k \cdot \mathbf{B})}{\gamma_k} \geq S, \text{ where } S = \sup_{\mathbb{Q} \in \mathcal{M}_i} \mathbb{E}^{\mathbb{Q}}[\mathbf{v} \cdot \mathbf{B}]. \quad (22)$$

For $\varepsilon > 0$ there exists $\mathbb{Q}^\varepsilon \in \mathcal{M}_i$ such that $\mathbb{E}^{\mathbb{Q}^\varepsilon}[\mathbf{v} \cdot \mathbf{B}] \geq S - \varepsilon/2$, and, for that choice of $\mathbb{Q}^\varepsilon$, there exists $K \in \mathbb{N}$ such that for $k \geq K$ we have

$$\frac{\alpha(\mathbb{Q}^\varepsilon) + \delta}{\gamma_k} \leq \varepsilon/2 \text{ where } \delta = |\rho_i(-\mathbf{a}_0 \cdot \mathbf{B})| + \|\mathbf{a}_0 \cdot \mathbf{B}\|_{\mathbb{L}^\infty}.$$

Thanks to convexity of ρ_i , the ratio $\frac{\rho_i(-\mathbf{a}_n \cdot \mathbf{B}) - \rho_i(-\mathbf{a}_0 \cdot \mathbf{B})}{\gamma_n}$ is nondecreasing, so its limit as $n \rightarrow \infty$ exists in $(-\infty, \infty]$ and

$$\begin{aligned} \lim_{k \rightarrow \infty} \frac{\rho_i(-\mathbf{a}_k \cdot \mathbf{B})}{\gamma_k} &= \sup_{k \geq K} \frac{\rho_i(-\mathbf{a}_k \cdot \mathbf{B}) - \rho_i(-\mathbf{a}_0 \cdot \mathbf{B})}{\gamma_k} \\ &= \sup_{k \geq K} \sup_{\mathbb{Q} \in \mathcal{M}_i} \left\{ \frac{\mathbb{E}^{\mathbb{Q}}[\mathbf{a}_k \cdot \mathbf{B}]}{\gamma_k} - \frac{\alpha_i(\mathbb{Q})}{\gamma_k} - \frac{\rho_i(-\mathbf{a}_0 \cdot \mathbf{B})}{\gamma_k} \right\} \\ &= \sup_{\mathbb{Q} \in \mathcal{M}_i} \sup_{k \geq K} \left\{ \mathbb{E}^{\mathbb{Q}}[\mathbf{v} \cdot \mathbf{B}] - \frac{\alpha_i(\mathbb{Q}) + \rho_i(-\mathbf{a}_0 \cdot \mathbf{B}) + \mathbb{E}^{\mathbb{Q}}[-\mathbf{a}_0 \cdot \mathbf{B}]}{\gamma_k} \right\} \\ &\geq \mathbb{E}^{\mathbb{Q}^\varepsilon}[\mathbf{v} \cdot \mathbf{B}] - \frac{\alpha_i(\mathbb{Q}^\varepsilon) + \rho_i(-\mathbf{a}_0 \cdot \mathbf{B}) + \mathbb{E}^{\mathbb{Q}^\varepsilon}[-\mathbf{a}_0 \cdot \mathbf{B}]}{\gamma_k} \\ &\geq S - \varepsilon, \end{aligned}$$

and (22) follows.

We continue by noting that since $\mathbb{Q}_k \in \partial \rho_i(-\mathbf{a}_k \cdot \mathbf{B})$ and $\alpha_i(\cdot) \geq 0$, we have

$$\frac{1}{\gamma_k} \rho_i(-\mathbf{a}_k \cdot \mathbf{B}) \leq \frac{1}{\gamma_k} \mathbb{E}^{\mathbb{Q}_k}[\mathbf{a}_k \cdot \mathbf{B}] \leq \mathbb{E}^{\mathbb{Q}_k}[\mathbf{v} \cdot \mathbf{B}] + \frac{1}{\gamma_k} \|\mathbf{a}_0 \cdot \mathbf{B}\|,$$

and so

$$\begin{aligned} \sup_{\mathbb{Q} \in \mathcal{M}_i} \mathbb{E}^{\mathbb{Q}}[\mathbf{v} \cdot \mathbf{B}] &\leq \lim_{k \rightarrow \infty} \frac{\rho_i(-\mathbf{a}_k \cdot \mathbf{B})}{\gamma_k} \leq \liminf_{k \rightarrow \infty} \mathbb{E}^{\mathbb{Q}_k}[\mathbf{v} \cdot \mathbf{B}] \leq \limsup_{k \rightarrow \infty} \mathbb{E}^{\mathbb{Q}_k}[\mathbf{v} \cdot \mathbf{B}] \\ &\leq \sup_{\mathbb{Q} \in \mathcal{M}_i^{\mathbf{B}}} \mathbb{E}^{\mathbb{Q}}[\mathbf{v} \cdot \mathbf{B}]. \end{aligned}$$

We conclude the proof by noting that since $\mathcal{M}_i^{\mathbf{B}} \subseteq \mathcal{M}_i$, all the inequalities above are, in fact, equalities. $\square$

Lemma 3 For $i \in \{1, 2, \dots, I\}$, let $\mathbf{B} \in (\mathbb{L}^\infty)^n$ be a bundle of claims for which there is no $\mathbf{a} \in \mathbb{R}^n$ such that $\mathbf{a} \cdot \mathbf{B} \in \mathcal{R}_i$. If $\mathcal{A}_i$ is weak-* closed and strictly convex with respect to $\mathbf{B}$, then the expectation $\mathbb{E}^\mathbb{Q}[\mathbf{a} \cdot \mathbf{B}]$ is the same for all $\mathbb{Q} \in \partial \rho_i(\mathbf{a} \cdot \mathbf{B})$, and the function $r_i : \mathbb{R}^n \rightarrow \mathbb{R}$, defined by

$$r_i(\mathbf{a}) = \rho_i(\mathbf{a} \cdot \mathbf{B}) \quad (23)$$

is continuously differentiable and

$$\nabla r_i(\mathbf{a}) = \mathbb{E}^\mathbb{Q}[-\mathbf{B}], \text{ for any } \mathbb{Q} \in \partial \rho_i(\mathbf{a} \cdot \mathbf{B}).$$

Proof Thanks to convexity of r_i and Proposition I.5.3 in Ekeland and Témam (1999), it will be enough to show that $\mathbb{E}^\mathbb{Q}[-\mathbf{B}]$ is the unique subgradient of r_i at $\mathbf{a}$ for any $\mathbb{Q} \in \partial \rho_i(\mathbf{a} \cdot \mathbf{B})$. To proceed, we suppose that $\mathbf{a}^* \in \mathbb{R}^n$ satisfies $r_i(\delta) \geq r_i(\mathbf{a}) - \mathbf{a}^* \cdot (\mathbf{a} - \delta)$, i.e.

$$\rho_i(\delta \cdot \mathbf{B}) \geq \rho_i(\mathbf{a} \cdot \mathbf{B}) - \mathbf{a}^* \cdot (\mathbf{a} - \delta), \quad (24)$$

for all $\delta \in \mathbb{R}^n$, and that $\mathbf{a}^* \neq \mathbb{E}^\mathbb{Q}[-\mathbf{B}]$. Consider, first, the case when $-\mathbf{a}^* \in \mathcal{P}_i(\mathbf{B})$, i.e., when there exists $\hat{\delta} \in \mathbb{R}^n$ such that $\hat{\delta} \neq \mathbf{a}$ and $\mathbf{a}^* = \mathbb{E}^{\hat{\mathbb{Q}}}[-\mathbf{B}]$ for some $\hat{\mathbb{Q}} \in \partial \rho_i(\hat{\delta})$. If we substitute $\hat{\delta}$ for δ in (24) we get

$$\rho_i(\hat{\delta} \cdot \mathbf{B}) + \mathbb{E}^{\hat{\mathbb{Q}}}[\hat{\delta} \cdot \mathbf{B}] \geq \rho_i(\mathbf{a} \cdot \mathbf{B}) + \mathbb{E}^{\hat{\mathbb{Q}}}[\mathbf{a} \cdot \mathbf{B}].$$

Note, however, that

$$\rho_i(\mathbf{a} \cdot \mathbf{B}) \geq \mathbb{E}^{\hat{\mathbb{Q}}}[-\mathbf{a} \cdot \mathbf{B}] - \alpha_i(\hat{\mathbb{Q}}) = \mathbb{E}^{\hat{\mathbb{Q}}}[-\mathbf{a} \cdot \mathbf{B}] + \rho_i(\hat{\delta} \cdot \mathbf{B}) + \mathbb{E}^{\hat{\mathbb{Q}}}[\hat{\delta} \cdot \mathbf{B}],$$

and the equality holds if and only if $\hat{\mathbb{Q}} \in \partial \rho_i(\mathbf{a} \cdot \mathbf{B})$. This implies that

$$\frac{1}{2}(\rho_i(\mathbf{a} \cdot \mathbf{B}) + \rho_i(\hat{\delta} \cdot \mathbf{B})) = \rho_i\left(\frac{(\hat{\delta} + \mathbf{a}) \cdot \mathbf{B}}{2}\right),$$

which contradicts the assumption of strict convexity with respect to $\mathbf{B}$.

It is left to show that if $\mathbf{a}^* = (a_1^*, \dots, a_n^*) \in \mathbb{R}^n$ satisfies (24), then $-\mathbf{a}^* \in \mathcal{P}_i(\mathbf{B})$. We argue by contradiction and assume that this is not the case. By Lemma 2 this means that there exists a component $l \in \{1, 2, \dots, n\}$ such that either $a_l^* \geq \sup_{\mathbb{Q} \in \mathcal{M}_i} \{\mathbb{E}^\mathbb{Q}[-B_l]\}$ or $a_l^* \leq \inf_{\mathbb{Q} \in \mathcal{M}_i} \{\mathbb{E}^\mathbb{Q}[-B_l]\}$. We can assume without loss of generality that the former holds and that $l = 1$. The inequality (24), in which $\mathbf{a}^1 = (a_1 + 1, a_2, a_3, \dots, a_n)$ is substituted for δ , implies that

$$\rho_i(\mathbf{a}^1 \cdot \mathbf{B}) + \inf_{\mathbb{Q} \in \mathcal{M}_i} \mathbb{E}^\mathbb{Q}[B_1] \geq \rho_i(\mathbf{a} \cdot \mathbf{B}).$$

On the other hand, for $\mathbb{Q}^1 \in \partial \rho_i(\mathbf{a}^1 \cdot \mathbf{B})$, we have

$$\begin{aligned} \rho_i(\mathbf{a} \cdot \mathbf{B}) &\geq \mathbb{E}^{\mathbb{Q}^1}[-\mathbf{a} \cdot \mathbf{B}] - \alpha_i(\mathbb{Q}^1) = \rho_i(\mathbf{a}^1 \cdot \mathbf{B}) + \mathbb{E}^{\mathbb{Q}^1}[B_1] > \rho_i(\mathbf{a}^1 \cdot \mathbf{B}) \\ &\quad + \inf_{\mathbb{Q} \in \mathcal{M}_i} \{\mathbb{E}^{\mathbb{Q}}[B_1]\}, \end{aligned}$$

a contradiction. $\square$

Remark 13 If for $\mathbf{B} \in (\mathbb{L}^\infty)^n$ there is no $\mathbf{a} \in \mathbb{R}^n$ such that $\mathbf{a} \cdot \mathbf{B} \in \mathcal{R}_i$ and if $\mathcal{A}_i$ is strictly convex with respect to $\mathbf{B}$, the demand correspondence is $Z_i(\mathbf{p})$ is non-empty only when $\mathbf{p} \in \mathcal{P}_i(\mathbf{B})$. Indeed, thanks to its definition as a minimizer set of a differentiable convex function, the set $Z_i(\mathbf{p})$, consists of the solutions $\mathbf{a}$, of the equation

$$\nabla r_i(\mathbf{a}) = \mathbf{p}, \quad (25)$$

where r_i is defined in (23) above. Lemma 3 states, however, that $\nabla r_i(\mathbf{a}) \in \mathcal{P}_i(\mathbf{B})$. Moreover, when $\mathbf{p} \in \mathcal{P}_i(\mathbf{B})$, $Z_i(\mathbf{p})$ is a singleton; this follows directly from strict convexity of r_i . Finally, it follows easily from (25) that Z_i is single-valued on $\mathcal{P}_i(\mathbf{B})$.

Proof of Theorem 1. We first define the strictly convex function $f : \mathbb{R}^{(I-1) \times n} \rightarrow \mathbb{R}$ by

$$f(\mathbf{a}) = \rho_1(\mathbf{a}_1 \cdot \mathbf{B}) + \rho_2(\mathbf{a}_2 \cdot \mathbf{B}) + \cdots + \rho_{I-1}(\mathbf{a}_{I-1} \cdot \mathbf{B}) + \rho_I\left(\left(-\sum_{i=1}^{I-1} \mathbf{a}_i\right) \cdot \mathbf{B}\right). \quad (26)$$

If for some $\tilde{\mathbf{a}} = (\tilde{\mathbf{a}}_1, \dots, \tilde{\mathbf{a}}_{I-1}) \in \mathbb{R}^{(I-1) \times n}$ we have $\nabla f(\tilde{\mathbf{a}}) = \mathbf{0}$, then, $\tilde{\mathbf{a}}$ is the unique minimizer of f . Moreover, such $\tilde{\mathbf{a}}$ satisfies $\nabla \rho_i(\tilde{\mathbf{a}}_i \cdot \mathbf{B}) = \nabla \rho_I(-(\sum_{i=1}^{I-1} \tilde{\mathbf{a}}_i) \cdot \mathbf{B})$, for every $i = 1, 2, \dots, I-1$. By Lemma 3, the latter means that for any $\mathbb{Q}_i \in \partial \rho_i(\tilde{\mathbf{a}}_i \cdot \mathbf{B})$, $1 \leq i \leq I-1$ and any $\mathbb{Q}_I \in \partial \rho_I(-(\sum_{i=1}^{I-1} \tilde{\mathbf{a}}_i) \cdot \mathbf{B})$, we have

$$\mathbb{E}^{\mathbb{Q}_i}[\mathbf{B}] = \mathbb{E}^{\mathbb{Q}_I}[\mathbf{B}].$$

Therefore, the price vector $\hat{\mathbf{p}} = \mathbb{E}^{\mathbb{Q}_i}[\mathbf{B}]$ satisfies $Z_i(\hat{\mathbf{p}}) = \tilde{\mathbf{a}}_i$ for every $i = 1, 2, \dots, I-1$ and $Z_I(\hat{\mathbf{p}}) = -\sum_{i=1}^{I-1} \tilde{\mathbf{a}}_i$. In other words, if $\hat{\mathbf{a}}$ denotes the allocation whose rows are given by $\hat{\mathbf{a}}_i = \tilde{\mathbf{a}}_i$, for $i = 1, 2, \dots, I-1$ and $\hat{\mathbf{a}}_I = -\sum_{i=1}^{I-1} \tilde{\mathbf{a}}_i$, the pair $(\hat{\mathbf{p}}, \hat{\mathbf{a}})$ is a partial equilibrium price allocation. In fact, it is the unique one, since if we assume the existence of another PEPA $(\check{\mathbf{p}}, \check{\mathbf{a}}) \neq (\hat{\mathbf{p}}, \hat{\mathbf{a}})$, we get that $\check{\mathbf{p}} = \mathbb{E}^{\mathbb{Q}}[\mathbf{B}]$, for any $\mathbb{Q} \in \partial \rho_i(\check{\mathbf{a}}_i \cdot \mathbf{B})$, which, in turn, implies that $\nabla f(\check{\mathbf{a}}) = \mathbf{0}$. The latter equation contradicts the uniqueness of the minimizer of the function f .

We are left with the task of showing that $\nabla f(\mathbf{a})$ has a root, and assume, per contra, that this is not the case. Then, by the continuity of f , we deduce that for, each $m \in \mathbb{N}$, there exists $\mathbf{a}^{(m)} \in \mathbf{D}_m = \{\mathbf{a} \in \mathbb{R}^{(I-1) \times n} : \|\mathbf{a}\|_1 = \sum_{k=1}^{I-1} \sum_{j=1}^n |a_{k,j}| \leq m\}$ such that $f(\mathbf{a}^{(m)}) \leq f(\mathbf{a})$ for all $\mathbf{a} \in \mathbf{D}_m$. Furthermore, by the strict convexity of f , it follows that $\|\mathbf{a}^{(m)}\|_1 = m$. Hence, thanks to the results of, e.g., Chapter 1 in

[Borwein and Lewis \(2000\)](#), a contradiction would be reached if the following coercivity condition held:

$$F = \liminf_{m \rightarrow \infty} \frac{f(\mathbf{a}^{(m)})}{m} > 0. \quad (27)$$

By passing to a subsequence (if necessary), we can assume without loss of generality that the limits $F = \lim_{k \rightarrow \infty} \frac{f(\mathbf{a}^{(k)})}{k} \in \mathbb{R}$ and $\mathbf{a}_i^{(0)} = \lim_{k \rightarrow \infty} \frac{\mathbf{a}_i^{(k)}}{k} \in \mathbb{R}^n$, $i = 1, 2, \dots, I - 1$ exist. Since

$$\left| \frac{\rho_i(\mathbf{a}_i^{(k)} \cdot \mathbf{B})}{k} - \frac{\rho_i(k\mathbf{a}_i^{(0)} \cdot \mathbf{B})}{k} \right| \leq \|\frac{\mathbf{a}_i^{(k)}}{k} - \mathbf{a}_i^{(0)}\| \|\mathbf{B}\|_{(\mathbb{L}^\infty)^n} \rightarrow 0,$$

Lemma 2 implies that

$$\begin{aligned} \lim_{k \rightarrow \infty} \frac{\rho_i(\mathbf{a}_i^{(k)} \cdot \mathbf{B})}{k} &= \sup_{\mathbb{Q} \in \mathcal{M}_i} \mathbb{E}^{\mathbb{Q}}[\mathbf{a}_i^{(0)} \cdot \mathbf{B}], \text{ for } 1 \leq i \leq I - 1, \text{ and} \\ \lim_{k \rightarrow \infty} \frac{\rho_I(-\sum_{j=1}^{I-1} \mathbf{a}_j^{(k)} \cdot \mathbf{B})}{k} &= \sup_{\mathbb{Q} \in \mathcal{M}_I} \mathbb{E}^{\mathbb{Q}} \left[-\sum_{j=1}^{I-1} \mathbf{a}_j^{(0)} \cdot \mathbf{B} \right]. \end{aligned}$$

Consequently, (27) follows from

$$\begin{aligned} F &= \sum_{j=1}^{I-1} \sup_{\mathbb{Q} \in \mathcal{M}_j} \mathbb{E}^{\mathbb{Q}}[\mathbf{a}_j^{(0)} \cdot \mathbf{B}] + \sup_{\mathbb{Q} \in \mathcal{M}_I} \mathbb{E}^{\mathbb{Q}} \left[-\sum_{j=1}^{I-1} \mathbf{a}_j^{(0)} \cdot \mathbf{B} \right] \\ &\geq \sup_{\mathbb{Q} \in \mathcal{M}} \mathbb{E}^{\mathbb{Q}} \left[\sum_{j=1}^{I-1} \mathbf{a}_j^{(0)} \cdot \mathbf{B} \right] - \inf_{\mathbb{Q} \in \mathcal{M}} \mathbb{E}^{\mathbb{Q}} \left[\sum_{j=1}^{I-1} \mathbf{a}_j^{(0)} \cdot \mathbf{B} \right] > 0, \end{aligned}$$

where the strictness of the last inequality follows from Assumption 4. $\square$

Acknowledgments The authors would like to thank Ioannis Karatzas, Constantinos Kardaras, Mihai Sirbu, Stathis Tompaidis, Thaleia Zariphopoulou, and the participants of the Fifth World Congress of the Bachelier Finance Society, London, UK, 2008, for fruitful discussions and good advice.

References

- Anthropelos, M., Žitković, G.: On agents' agreement and partial-equilibrium pricing in incomplete markets (2008, to appear in Mathematical Finance). arxiv:0803.2198
- Artzner, P., Delbaen, F., Eber, J.M., Heath, D.: Coherent measures of risk. *Math Financ* **9**(3), 203–228 (1999)
- Barrieu, P., El Karoui, N.: Inf-convolution of risk measures and optimal risk transfer. *Financ Stoch* **9**, 269–298 (2005)
- Barrieu, P., Karoui, N.E.: Optimal derivatives design under dynamic risk measures. In: *Mathematics of finance*, *Contemp. Math.*, vol. 351, pp. 13–25. Providence: Amer. Math. Soc. (2004)

- Barrieu, P., Scandolo, G.: General pareto optimal allocation and applications to multi-period risks. *Astin Bull* **1**(38), 105–136 (2008)
- Biagini, S., Frittelli, M.: A unified framework for utility maximization problems: an Orlicz space approach. *Ann Appl Probab* **18**(3), 929–966 (2008)
- Borch, K.: Equilibrium in reinsurance market. *Econometrica* **30**(3), 424–444 (1962)
- Borwein, J.M., Lewis, A.S.: *Convex analysis and nonlinear optimization*. CMS Books in Mathematics/Ouvrages de Mathématiques de la SMC, vol. 3 (Theory and examples). New York: Springer (2000)
- Bühlmann, H.: An economic premium principle. *Astin Bull* **11**, 52–60 (1980)
- Bühlmann, H.: The general economic premium principle. *Astin Bull* **15**, 13–21 (1984)
- Bühlmann, H., Jewell, W.S.: Optimal risk exchanges. *Astin Bull* **10**, 243–262 (1979)
- Burgert, C., Rüschendorf, L.: Allocation of risks and equilibrium in markets with finitely many traders. *Insur Math Econ* **42**, 177–188 (2008)
- Carasus, L., Rásonyi, M.: Optimal strategies and utility-based prices converge when agents' preferences do (2005, preprint)
- Carmona, R. (ed.): *Indifference Pricing: Theory and Applications*. Princeton: Princeton University Press (2008)
- Carr, P., Geman, H., Madan, D.: Pricing and hedging in incomplete markets. *J Financial Econ* **62**(1), 131–167 (2001)
- Cvitanic, J., Schachermayer, W., Wang, H.: Utility maximization in incomplete markets with random endowment. *Finance Stoch* **5**, 237–259 (2001)
- Delbaen, F.: Coherent risk measures on general probability spaces. In: *Advances in Finance and Stochastics*, pp. 1–37. Berlin: Springer (2002)
- Delbaen, F., Grandits, P., Rheinländer, T., Samperi, D., Schweizer, M., Stricker, C.: Exponential hedging and entropic penalties. *Math. Financ* **12**(2), 99–123 (2002)
- Delbaen, F., Schachermayer, W.: A general version of the fundamental theorem of asset pricing. *Math. Ann.* **300**(3), 463–520 (1994)
- Dontchev, A.L., Zolezzi, T.: *Well-Posed Optimization Problems*. Lecture Notes in Mathematics, vol. 1543. Berlin: Springer (1993)
- Ekeland, I., Témam, R.: *Convex analysis and variational problems*. Classics in Applied Mathematics, vol. 28. english edn. Society for Industrial and Applied Mathematics (SIAM), Philadelphia, PA (1999). Translated from the French
- Filipović, D., Kupper, M.: Equilibrium prices for monetary utility functions. *Int J Theor Appl Financ* **11**(3), 325–343 (2008)
- Föllmer, H., Schied, A.: Convex measures of risk and trading constraints. *Financ Stoch* **6**(4), 429–447 (2002)
- Föllmer, H., Schied, A.: Robust preferences and convex measures of risk. In: *Advances in Finance and Stochastics*, pp. 39–56. Berlin: Springer (2002)
- Föllmer, H., Schied, A.: *Stochastic Finance*. de Gruyter Studies in Mathematics, vol. 27, extended edn. Berlin: Walter de Gruyter & Co. (2004). An introduction in discrete time
- Frittelli, M., Scandolo, G.: Risk measures and capital requirements for processes. *Math Financ* **16**(4), 589–612 (2006)
- Gerber, H.: Pareto optimal risk exchanges and related decision problems. *Astin Bull* **10**, 22–33 (1978)
- Hadamard, J.: *Sur les Problèmes Aux dérivées Partielles et leur Signification Physique*. Princeton: Princeton University Bulletin, pp. 49–52 (1902)
- Heath, D., Ku, E.: Pareto equilibria with coherent measures of risk. *Math Financ* **14**(2), 163–172 (2004)
- Hugonnier, J., Kramkov, D.: Optimal investment with random endowments in incomplete markets. *Ann Appl Probab* **14**(2), 845–864 (2004)
- Jouini, E., Napp, C.: Convergence of utility functions and convergence of optimal strategies. *Financ Stoch* **8**(1), 133–144 (2004)
- Jouini, E., Schachermayer, W., Touzi, N.: Law invariant risk measures have the Fatou property. In: *Advances in Mathematical Economics*. Adv. Math. Econ., vol. 9, pp. 49–71. Tokyo: Springer (2006)
- Kardaras, C., Žitković, G.: Stability of the utility maximization problem with random endowment in incomplete markets (2007, to appear in *Mathematical Finance*). arxiv:0706.0482
- Klöppel, S., Schweizer, M.: Dynamic utility indifference valuation via convex risk measures. *Math Financ* **17**, 599–627 (2007)
- Larsen, K., Žitković, G.: Stability of utility-maximization in incomplete markets. *Stoch Process Appl* **117**(11), 1642–1662 (2007)
- Lucchetti, R.: *Convexity and Well-Posed Problems*. New York: Springer (2006)

- Mania, M., Schweizer, M.: Dynamic exponential utility indifference valuation. *Ann Appl Probab* **15**(3), 2113–2143 (2005)
- Owen, M., Žitković, G.: Optimal investment with an unbounded random endowment and utility-based pricing (2006, to appear in *Mathematical Finance*). arxiv:0706.0478
- Pal, S.: On capital requirements and optimal strategies to achieve acceptability. Ph.D. thesis, Columbia University (2006)
- Rockafellar, R.T.: *Convex Analysis*. Princeton: Princeton University Press (1970)
- Rockafellar, R.T., Wets, R.J.B.: *Variational analysis*. Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences], vol. 317. Berlin: Springer (1998)
- Schachermayer, W.: Portfolio optimization in incomplete financial markets. *Cattedra Galileiana*. [Galileo Chair]. Scuola Normale Superiore, Classe di Scienze, Pisa (2004)
- Wyler, E.: Pareto-optimal risk exchanges and a system of differential equations: a duality theorem. *Astin Bull* **20**, 23–32 (1990)
- Xu, M.: Risk measure pricing and hedging in incomplete markets. *Ann Financ* **2**, 51–71 (2006)