

Option pricing under linear autoregressive dynamics, heteroskedasticity, and conditional leptokurtosis

Christian M. Hafner ^{a,*}, Helmut Herwartz ^b

^a *Electrabel, R&D Energy Markets, Traverse d'Esopo 6, B-1348 Louvain-la-Neuve, Belgium*

^b *Institut für Statistik und Ökonometrie, Humboldt-Universität zu Berlin, Spandauer Str. 1, D-10178 Berlin, Germany*

Accepted 6 November 2000

Abstract

Daily returns of financial assets are frequently found to exhibit positive autocorrelation at lag 1. When specifying a linear AR(1) conditional mean, one may ask how this predictability affects option prices. We investigate the dependence of option prices on autoregressive dynamics under stylized facts of stock returns, i.e. conditional heteroskedasticity, leverage effect, and conditional leptokurtosis. Our analysis covers both a continuous and discrete time framework. The results suggest that a non-zero autoregression coefficient tends to increase the deviation of option prices from Black and Scholes prices caused by stochastic volatility. © 2001 Elsevier Science B.V. All rights reserved.

JEL classification: C15; C22; G13

Keywords: Option pricing; Autoregression; Conditional heteroskedasticity; Leverage effect; Conditional leptokurtosis

1. Introduction

Recent empirical studies of financial markets suggest that there is a substantial body of evidence that documents the predictability of financial asset returns. This was stated by Lo and Wang (1995), who cite a collection of 30 papers to support

* Corresponding author.

the hypothesis of predictability. The term predictability is used as having non-zero autocorrelation of returns. Chapter 2 of Campbell et al. (1997) gives a summary of recent empirical evidence for positive autocorrelation at daily and monthly frequency.

A possible economic explanation for such positive autocorrelation could be risk premia that are linked to time varying second moments. For example, the ARCH-M model of Engle et al. (1987) lets the risk premium be a function of volatility, which is modeled by the ARCH model class. It turned out, however, that autoregressive processes often provide superior results in terms of log-likelihood estimates, as was shown by Hafner and Herwartz (1999) for the German stock market.

Even though the conditional mean does not enter into closed form option pricing solutions such as Black and Scholes, its particular specification may affect the estimates of other relevant parameters such as volatility. This is why it is pertinent to analyse the effects of autoregressive components for option pricing. Since option prices may react sensitively to changes in volatility, a proper specification of the conditional variance and the conditional mean plays a crucial role. In particular, out-of-the-money options with short times to maturity react strongly to volatility changes when measuring this sensitivity in relative terms, i.e. regarding the elasticity of the option price with respect to volatility.

Being the most popular approaches to model volatility clustering, GARCH models, as introduced by Engle (1982) and Bollerslev (1986), soon showed their deficiencies: First, stock market volatility is often more affected by negative news than by positive news. This effect, first noted by Black (1976), is known as the leverage effect. Many extensions of the standard GARCH model have been suggested that allow for asymmetric impacts of positive and negative news on volatility. Second, in most studies of daily stock returns using GARCH models and conditional normality for the innovations, the rescaled residuals showed excess kurtosis, which violates the normality assumption.

In this paper, we analyse the impact of autoregressive dynamics on volatility estimates and on option prices. We separate our analysis to a continuous time and discrete time framework. In continuous time, we derive results for the case of a trend reverting log price and stationary stochastic volatility. Under the assumption that volatility is not priced and log price and volatility are not correlated, one can, in the spirit of Hull and White (1987) derive a Taylor expansion of the option price around the expected mean volatility until time to maturity. We analyse the change of the first order term in case of an underlying autoregressive component. We show that under autoregressive dynamics, far in- and out-of-the-money options are valued higher and at-the-money options lower than when neglecting autoregressive dynamics.

Evaluation of analytic formulae in a continuous time framework becomes tedious in case of a negative correlation between the innovations of log price and volatility (i.e. the leverage effect) or leptokurtic innovations. Therefore, we make

use of results for discrete time models. In particular, our discrete time framework builds on the work of Duan (1995), whose GARCH option pricing model can be easily extended without losing its interpretation as an economic equilibrium model. We employ the threshold GARCH model of Glosten et al. (1993) and conditional Student- t distributed innovations to model the leverage effect and conditional leptokurtosis, respectively.

In line with our results in the continuous time framework, the results in discrete time suggest that autoregressive dynamics of returns increase the effects caused by stochastic volatility or GARCH. In particular, viewing the deviation of GARCH option prices from Black and Scholes prices as a function of the moneyness, one obtains the typical U-shape, that is, far in- and out-of-the-money options are priced higher and at-the-money options lower. This U-shape becomes more distinct under additional autoregressive dynamics: at-the-money options become even less, far in- and out-of-the-money options even more valuable. This holds for a positive and negative AR(1) coefficient. In relative terms, we find the highest impact of autocorrelation for options out-of-the-money. Conditional leptokurtosis is found to impose an additional U-shape compared to volatility processes generated under conditional normality. This additional U-shape appears to be symmetric even in the TGARCH case and is much more pronounced under autoregressive dynamics.

The accordance of our results for the trend reverting stochastic volatility in continuous time and AR/GARCH in discrete time, may not be surprising when considering that the diffusion limit of GARCH models is precisely the stochastic volatility process that we assume, see Nelson (1990). Duan (1996) shows that his discrete time option pricing model converges to the Hull and White (1987) stochastic volatility option pricing model if the time interval between observations is decreasing and volatility parameters are appropriately rescaled. However, there is an important difference: Modelling autoregressive dynamics in continuous time with a linear trend reversion process, one can only model negative correlation of returns. To model positive correlation, one has to resort to multivariate processes. Along these lines, in a constant volatility framework, Lo and Wang (1995) show that the effects of the autoregression parameter are contrary: negative correlation increases, positive correlation decreases option prices. In discrete time, however, there is no such asymmetry: the sign of the autoregressive parameter is irrelevant, all that matters is its size.

The empirical relevance of our results is illustrated for a set of German stock price series. Specifying an autoregressive model additional to GARCH changes the volatility estimates slightly. This change implies, in many cases, a substantial deviation of option prices.

The remainder of the paper is organized as follows: Section 2 provides an empirical assessment of the differences of volatility path estimates obtained from alternative modeling assumptions. In Section 3, we first review option pricing under autoregressive dynamics and constant volatility in continuous time, i.e. a trending Ornstein–Uhlenbeck process. Then, we allow for stochastic volatility and

develop results for option pricing in a continuous-time framework with a trend reverting log price process. The GARCH option pricing model under linear dynamics is discussed in Section 4. Section 5 provides a brief summary and concludes. Proofs are provided in Appendix A.

2. Volatility estimates for alternative models

Let us consider the linear AR(1) model with conditionally heteroskedastic errors,

$$y_t = \nu + \phi y_{t-1} + \sqrt{h_t} \xi_t, \quad (1)$$

where ν and ϕ are constant parameters, the innovations ξ_t are i.i.d. random variables with mean zero and variance one, the volatility h_t is a measurable function of lagged innovations and lagged h_t . Denoting by $\mathcal{F}_t$ the information set up to time t , we have the conditional mean $\mu_t = E[y_t | \mathcal{F}_{t-1}] = \nu + \phi y_{t-1}$ and the conditional variance $h_t = \text{Var}[y_t | \mathcal{F}_{t-1}]$.

Specifically, we assume the asymmetric threshold GARCH model

$$h_t = \omega + \left((\alpha + \alpha^- I_{(\xi_{t-1} < 0)}) \xi_{t-1}^2 + \beta \right) h_{t-1}, \quad (2)$$

where the common symmetric GARCH model results as a special case for $\alpha^- = 0$. Dealing with stock returns, one typically obtains positive estimates for α^- , indicating a stronger impact of negative news on volatility than positive news. Model (2) was proposed by Glosten et al. (1993). A similar threshold model for the conditional standard deviation was created by Zakoian (1994).

We investigate the daily closing prices S_t of 26 German stocks traded at the Frankfurt stock exchange during the period 02/01/1990–30/12/1996, providing $n = 1753$ observations for each stock. Returns y_t are defined as relative price changes, i.e. $y_t = (S_t - S_{t-1})/S_{t-1}$. All return series exhibit strong conditional heteroskedasticity. The ARCH–LM test of Engle (1982) rejects the hypothesis of homoskedasticity at all common levels, both for returns and residuals of a linear AR(1) regression.

We estimate GARCH-type models, each with and without an AR(1) conditional mean component. To incorporate an explicit risk premium into the specification, we also estimated models of the GARCH-M type, see Engle et al. (1987). It turned out, however, that unlike the AR parameter, the inclusion of a risk premium does not significantly improve the model fit measured in terms of the log-likelihood for the majority of investigated series. We will thus restrict our considerations to models without risk premium.

Quasi-maximum likelihood (QML) inference against the significance of ϕ , clearly supports the presence of autoregressive dynamics for most return series under study. In seven cases, QML rejects the hypothesis, $\phi = 0$, when it is

accepted by the heteroskedasticity consistent t -ratio of White (1980) and the bootstrapped version of a pseudo likelihood ratio statistic, see Herwartz (1998) and Hafner and Herwartz (1999). For the majority of stocks, all test procedures rejected the null hypothesis of no autoregressive dynamics.

Assuming conditional normality, estimation and diagnostic results can be interpreted in a similar fashion for all investigated return series. First, we find significant ARCH-effects indicated by significant estimates for α using a symmetric GARCH(1,1) process or α^- within its asymmetric counterpart, the TGARCH(1,1) model. With respect to the absolute value of parameter estimates, we find for the vast majority of investigated return series estimates of β close to 0.9 and of $\alpha + \beta$, between 0.960 and 0.999, indicating the typical high persistence of shocks in volatility. The estimation results obtained for the parameters governing variance dynamics were similar for alternative specifications of the conditional mean equation, i.e. for the AR(0) vs. the AR(1) model. For all series, the GARCH(1,1) process turns out to remove conditional heteroskedasticity. Applying the ARCH–LM test of order one or five to the standardized return series, the assumption of homoskedasticity is not rejected for all estimated models. Testing standardized innovations against unconditional normality, however, we find that all standardized residual series exhibit excess kurtosis. We refrain from providing all model diagnostics to economize on space. Instead, we refer to Hafner and Herwartz (1999) for further discussion of estimation results obtained under conditional normality. Table 1 reports the estimation results for Allianz.

Taking conditional leptokurtosis into account, we estimated all processes considered assuming the innovations ξ_t to be generated by a standardized Student- t distribution. For the GARCH model specified, with and without an autoregressive component and for the AR(1)–TGARCH processes, Table 2 displays the obtained maximum values of the log-likelihood function obtained under normality and Student- t innovations, respectively. In addition, the estimated degrees of freedom obtained for the AR(1)–TGARCH Student- t model are reported. Obviously, the assumption of leptokurtic innovations provides considerable improvements of the empirical models specified under normality in terms of the log-likelihood values. For the AR(0)–GARCH, we obtain log-likelihood improvements between 34.5 for BASF and 145.6 for Commerzbank. The significance of these improvements can also be inferred from the estimated degrees of freedom $\hat{\nu}$ for the Student- t model, being in most cases, close to six. Regarding the corresponding standard deviations, it would become obvious that for all investigated series, the estimated Student- t distributions differ significantly from a normal approximation $\nu \approx 30$.

To test whether the TGARCH model with Student- t innovations can pick up all of the nonlinear dependence in the data, we report in Table 3, the results of the BDS test applied to the residuals (Brock et al., 1996). To compute the statistic, we used the algorithm of Kanzler (1998) and his Matlab program (<http://fmwww.bc.edu/repec/bocode/b/bds.m>) with default parameters. Under the null

Table 1
Estimation results for Allianz returns

	$\xi_t \sim N(0,1)$				$\xi_t \sim t_v(0,1)$			
	GARCH		TGARCH		GARCH		TGARCH	
	AR(0)	AR(1)	AR(0)	AR(1)	AR(0)	AR(1)	AR(0)	AR(1)
$\hat{\nu}$	5.0E–04 (1.88)	4.5E–04 (1.71)	3.2E–04 (1.21)	2.7E–04 (1.01)	2.9E–04 (1.11)	2.6E–04 (1.04)	1.9E–04 (0.74)	1.5E–04 (0.60)
$\hat{\phi}$		0.097 (3.72)		0.087 (3.45)		0.073 (2.85)		0.071 (2.59)
$\hat{\omega}$	3.2E–06 (1.91)	3.2E–06 (1.90)	2.6E–06 (1.84)	2.7E–06 (1.81)	3.1E–06 (1.88)	3.3E–06 (1.90)	3.1E–06 (1.96)	3.3E–06 (1.86)
$\hat{\alpha}$	0.070 (4.52)	0.075 (4.49)	0.029 (2.48)	0.031 (2.41)	0.066 (3.85)	0.070 (3.96)	0.037 (3.04)	0.039 (2.79)
$\hat{\alpha}^-$			0.070 (2.85)	0.072 (3.06)			0.061 (2.64)	0.065 (2.35)
$\hat{\beta}$	0.914 (49.4)	0.909 (46.6)	0.923 (56.1)	0.920 (53.6)	0.916 (39.2)	0.911 (37.4)	0.917 (41.9)	0.912 (34.3)
$\hat{v}$					6.18 (6.52)	6.38 (6.20)	6.48 (6.30)	6.66 (6.11)

QML t -ratios in parentheses.

Table 2

Log-likelihood estimates of alternative model specifications under conditional normality and conditional leptokurtosis

Stock	$\xi_t \sim N(0,1)$			$\xi_t \sim t_\nu(0,1)$			$\hat{\nu}$
	AR(0)		AR(1)	AR(0)		AR(1)	
	GARCH	GARCH	TGARCH	GARCH	GARCH	TGARCH	
ALLI	5198.8	5210.0	5215.9	5260.6	5265.9	5270.3	6.6
BASF	5210.1	5211.7	5212.2	5244.6	5245.8	5245.8	7.2
BAYE	5238.7	5243.0	5243.0	5304.9	5306.2	5306.3	6.6
BAYH	5299.1	5303.1	5307.2	5412.7	5412.8	5414.8	4.9
BAYV	5218.2	5218.2	5222.1	5310.4	5310.9	5313.6	5.1
BMW	5153.0	5153.1	5162.6	5256.1	5259.0	5262.7	5.1
COMM	5256.9	5259.7	5259.9	5402.5	5402.8	5402.9	4.8
DAIM	5093.3	5096.7	5098.1	5156.7	5159.3	5159.5	6.7
DEUT	5376.4	5380.4	5380.9	5468.1	5471.4	5471.6	6.4
DEGU	4954.6	4954.8	4955.9	5024.1	5024.1	5024.6	4.9
DRES	5397.1	5397.8	5401.9	5542.6	5542.7	5545.0	4.9
HENK	5304.0	5309.1	5309.1	5425.0	5425.3	5425.4	5.1
HOEC	5074.2	5078.4	5083.2	5147.2	5150.6	5153.4	6.0
KARS	5138.7	5138.9	5140.3	5199.2	5205.3	5206.2	6.0
LIND	5437.8	5442.0	5447.8	5567.0	5568.5	5572.1	4.9
MAN	4884.1	4891.0	4896.7	5013.0	5015.3	5020.7	5.9
MANN	4867.4	4878.4	4879.5	5008.6	5009.0	5010.7	5.3
MUEN	5158.8	5163.2	5184.7	5293.8	5295.6	5312.3	3.2
PREU	5046.2	5047.9	5055.7	5144.4	5146.0	5149.2	5.6
RWE	5385.7	5397.0	5400.6	5499.4	5501.6	5503.3	5.6
SCHE	5272.0	5272.1	5274.9	5341.9	5342.0	5343.7	4.9
SIEM	5461.4	5467.1	5468.1	5565.8	5567.0	5568.6	7.2
THYS	4898.9	4903.8	4904.0	4961.6	4962.6	4962.7	6.7
VEBA	5371.5	5371.9	5372.3	5464.6	5465.2	5465.6	6.0
VIAG	5241.4	5243.1	5244.0	5375.5	5377.8	5380.3	5.2
VOLK	4773.1	4781.3	4781.6	4839.9	4844.2	4844.4	8.3

Estimated degrees of freedom ($\hat{\nu}$) for AR(1)-TGARCH specification. The considered stocks were: Allianz, BASF, Bayer, Bayerische Hypo-Bank, Bayerische Vereinsbank, BMW, Commerzbank, Daimler, Deutsche Bank, Degussa, Dresdner Bank, Henkel, Hoechst, Karstadt, Linde, MAN, Mannesmann, Münchener Rückversicherung, Preussag, RWE, Schering, Siemens, Thyssen, VEBA, VIAG and Volkswagen.

hypothesis of independence, the BDS-statistic exhibits a standard normal distribution. At the 5% significance level, the null hypothesis is rejected for two of 26 investigated stocks. Similar results are obtained for implied innovations obtained under GARCH or conditional normality which are not provided to economize on space. We conclude that the (T)GARCH(1,1) model is sufficient to remove nonlinearities from the investigated empirical return processes.

Given a specific return series, it turned out that with respect to the estimation of parameters governing conditional variances, only negligible differences are ob-

Table 3

BDS-statistics for standardized Student-*t* innovations implied by TGARCH estimates

Stock	AR(0)	AR(1)	Stock	AR(0)	AR(1)
ALLI	0.52	0.04	KARS	−0.81	−0.97
BASF	−0.59	−0.58	LIND	−0.95	−1.26
BAYE	−1.22	−1.25	MAN	−0.56	−0.66
BAYH	0.19	−0.01	MANN	1.65	1.58
BAYV	1.01	0.86	MUEN	0.36	−0.55
BMW	0.58	0.19	PREU	−0.98	−1.04
COMM	0.40	0.38	RWE	1.41	1.19
DAIM	−1.64	−1.68	SCHE	−0.19	−0.29
DEUT	−2.53 ^a	−2.58 ^b	SIEM	−1.66	−1.62
DEGU	0.71	0.63	THYS	0.68	0.66
DRES	0.07	−0.18	VEBA	−1.10	−1.12
HENK	0.26	0.24	VIAG	−1.58	−1.71
HOEC	−0.78	−0.96	VOLK	−2.13 ^a	−2.15 ^a

^aDenotes significance at the 5% level.^bDenotes significance at the 1% level.

tained for alternative specifications of the conditional mean equation. Obviously, this result mirrors the typically low degree of explanation provided by an autoregressive model of order one applied to return series. For almost all data sets under study, the estimated AR(1) coefficients are positive and less than 0.1. The latter result is invariant with respect to the choice of a normal compared to a leptokurtic distribution of innovations ξ_t . For most series, however, estimated AR(1) parameters are somewhat smaller, assuming Student-*t* compared to normally distributed innovations. The evidence in favour of autoregressive dynamics is mitigated to some extent assuming Student-*t* innovations. As a possible device to test for autoregressive dynamics, convenient likelihood ratio statistics can also be obtained from Table 2. For example, assuming a GARCH(1,1) variance process with normally distributed innovations, we find significant autoregressive dynamics with a significance level of 5% for 16 of 26 return series. Taking the same formal test criterion for the GARCH(1,1) model under Student-*t* distributed innovations, we obtain autoregressive dynamics for only nine return series.

Regarding estimated parameters α , α^- and β governing variance dynamics, we obtain neither major differences for the two alternative assumptions made for the distribution generating ξ_t , nor for the specification of AR(1) or AR(0). Still, the estimated volatility paths may differ substantially. Volatility depends on excess returns in the AR(0) model and on errors in the AR(1) model. Under conditional normality, the innovations in volatility are chi-square, in the Student-*t* model F-distributed after appropriate rescaling.

To shed some light on the dependence of volatility estimates obtained from alternative model specifications, we generated series of the form $V_1/V_2 - 1$, where V_1 and V_2 are volatility processes estimated under specific assumptions. In

particular, we provide a comparison of GARCH(1,1) volatility estimates with TGARCH(1,1) counterparts in order to report on the empirical magnitude of the prominent leverage effect. Similarly, we also provide a comparison for volatility processes derived from the AR(0) and AR(1) model. The latter comparison is performed assuming both a GARCH(1,1) and TGARCH(1,1) specification. Tables 4 and 5 provide analogous measures obtained from the normal model and the Student-*t* model, respectively. In particular, for relative differences $V_1/V_2 - 1$, we provide the mean absolute deviation (MAD) and the observed maximum and minimum values.

Obviously, generalizing the symmetric GARCH(1,1) variance towards an asymmetric impact of lagged innovations on current volatility, substantially affects the estimated volatility path. Assuming normally distributed innovations, relative

Table 4

Mean absolute deviation (MAD), minimum and maximum of the percentage differences between volatility estimates obtained under conditional normality

Stock	AR(0)			GARCH			TGARCH		
	TGARCH vs. GARCH			AR(1) vs. AR(0)			AR(1) vs. AR(0)		
	MAD	Minimum	Maximum	MAD	Minimum	Maximum	MAD	Minimum	Maximum
ALLI	11.8	-38.4	41.4	2.58	-8.01	9.78	2.37	-8.03	10.4
BASF	4.26	-15.7	16.6	0.61	-2.41	3.84	0.64	-2.39	4.02
BAYE	7.05	-24.6	36.6	0.23	-1.15	0.86	0.26	-0.66	1.03
BAYH	7.00	-34.0	25.8	1.41	-5.63	5.87	1.36	-4.70	5.47
BAYV	0.23	-0.89	1.36	1.50	-6.33	6.38	1.55	-7.08	6.92
BMW	0.91	-2.92	4.31	2.74	-9.52	12.6	2.73	-10.1	12.7
COMM	5.50	-20.3	21.7	0.33	-1.09	1.59	0.35	-1.22	1.73
DAIM	6.74	-20.6	31.2	0.66	-2.62	1.96	0.65	-3.19	2.23
DEUT	7.91	-37.0	34.7	0.54	-2.24	3.01	1.09	-6.15	5.01
DEGU	1.60	-7.39	6.24	0.88	-2.90	5.73	0.98	-3.01	5.77
DRES	2.87	-10.2	15.5	1.82	-6.34	7.65	1.70	-6.34	7.13
HENK	7.49	-30.6	18.5	0.31	-0.69	0.59	0.14	-0.45	1.10
HOEC	7.42	-32.5	34.6	1.69	-9.27	10.1	1.78	-9.29	9.04
KARS	1.99	-11.0	7.26	0.66	-4.39	3.23	0.62	-4.47	3.46
LIND	6.58	-35.2	42.8	1.85	-15.6	9.06	1.62	-15.1	8.13
MAN	8.78	-46.0	54.1	1.43	-10.5	18.0	1.41	-8.09	14.6
MANN	10.3	-40.2	53.1	1.91	-13.0	13.5	1.40	-8.29	10.6
MUEN	6.98	-27.2	25.1	5.78	-29.9	29.8	4.03	-27.7	16.3
PREU	6.07	-17.6	31.4	1.44	-5.10	4.98	1.51	-5.87	6.61
RWE	11.7	-33.9	71.4	2.52	-9.74	15.3	1.80	-6.07	8.89
SCHE	0.83	-2.42	3.50	1.59	-8.04	8.58	1.60	-7.96	8.80
SIEM	9.15	-34.9	36.8	0.36	-1.83	1.93	0.47	-2.45	2.17
THYS	8.11	-39.5	25.7	0.28	-1.35	1.17	0.28	-0.92	1.44
VEBA	1.88	-8.24	7.33	0.84	-3.29	4.71	0.87	-3.48	4.83
VIAG	4.46	-19.3	24.2	1.07	-3.65	3.79	0.93	-3.55	4.23
VOLK	9.53	-48.4	31.0	0.40	-1.83	2.35	0.39	-1.80	1.74

Table 5
Mean absolute deviation (MAD), minimum and maximum of the percentage differences between volatility estimates obtained under conditional leptokurtosis

Stock	AR(0)			GARCH			TGARCH		
	TGARCH vs. GARCH			AR(1) vs. AR(0)			AR(1) vs. AR(0)		
	MAD	Minimum	Maximum	MAD	Minimum	Maximum	MAD	Minimum	Maximum
ALLI	10.1	−31.6	40.9	2.05	−6.39	7.59	2.03	−6.80	8.95
BASF	4.41	−15.0	18.8	0.12	−0.46	0.67	0.10	−0.45	0.56
BAYE	5.05	−14.2	27.7	0.42	−2.39	1.34	0.37	−2.00	1.31
BAYH	1.82	−7.37	8.12	1.06	−4.20	4.86	1.18	−5.03	6.23
BAYV	3.35	−11.8	15.6	1.10	−4.20	5.68	1.11	−3.61	4.15
BMW	7.94	−23.8	33.6	1.96	−6.65	7.25	1.87	−6.45	4.93
COMM	2.70	−8.04	14.2	0.25	−1.08	1.13	0.26	−1.00	1.24
DAIM	6.57	−22.4	24.2	0.36	−1.51	0.92	0.33	−1.51	0.88
DEUT	8.06	−26.7	35.7	0.28	−0.99	1.32	0.33	−1.15	1.46
DEGU	0.49	−1.64	2.12	0.57	−2.11	2.78	0.61	−2.59	2.91
DRES	1.57	−4.55	8.90	1.42	−4.98	5.18	1.39	−4.84	5.23
HENK	3.24	−9.35	23.0	0.07	−0.31	0.40	0.11	−0.43	0.63
HOEC	8.39	−28.3	45.9	1.23	−6.41	5.55	1.31	−7.04	5.32
KARS	10.9	−44.5	85.5	2.71	−25.1	23.4	0.92	−5.53	8.27
LIND	5.30	−20.1	23.5	2.01	−12.1	7.40	1.93	−11.8	6.71
MAN	7.08	−24.0	28.1	2.11	−9.24	12.1	2.23	−8.93	11.5
MANN	3.10	−9.89	15.7	0.79	−3.02	4.18	0.86	−3.81	4.36
MUEN	6.65	−25.5	15.6	4.77	−22.3	12.4	5.10	−26.6	12.8
PREU	5.58	−19.6	21.6	1.23	−4.58	2.94	1.30	−5.06	3.22
RWE	6.94	−18.2	39.0	1.05	−4.03	4.43	1.14	−4.53	5.15
SCHE	1.23	−4.27	3.97	1.32	−6.05	5.72	1.34	−6.27	5.92
SIEM	5.04	−18.4	17.4	0.75	−4.12	2.88	0.83	−3.92	3.80
THYS	4.41	−18.8	13.9	0.17	−0.91	0.52	0.16	−0.94	0.50
VEBA	3.48	−11.9	18.0	0.58	−1.89	3.32	0.67	−2.04	3.63
VIAG	7.35	−34.5	36.8	1.33	−4.75	7.94	1.48	−5.53	7.98
VOLK	8.32	−36.5	29.6	0.28	−1.21	1.33	0.27	−1.12	1.09

differences, as described above, show for 17 of 26 series mean average deviations of at least 5%. A similar result is obtained for processes specified with Student-*t* distributed innovations. Specific observed differences vary between −46.0% and +71.4% for the volatility paths estimated under normality. Compared to the empirical importance of the leverage effect, inclusion and exclusion of autoregressive dynamics is of less importance. Under normality, we obtain mean absolute differences between volatility estimates obtained from the AR(1) and AR(0) model alternatively to differ more than 1% on average for 14 series considered. The latter result holds for the GARCH(1,1) and TGARCH(1,1) as well as for the GARCH(1,1) model estimated under the assumption of (standardized) Student-*t* distributed innovations. In specific periods, however, relative differences of volatility measures may differ substantially with respect to the specification of the




Fig. 1. The Black and Scholes vega of a call option as given in Eq. (4) with time to maturity (left axis) from 0.02 to 0.32 and stock price (right axis) from 85 to 115. The exercise price was fixed at 100, the volatility parameter at 0.4 and the interest rate at zero.

conditional mean equation. The estimated minimum and maximum statistics for relative volatility differences between the AR(0) and AR(1) model vary between -29.9% and 29.8% .

The average impact of autoregressive dynamics on volatility estimates might seem negligible, but considering financial derivatives, a small percent difference in volatility may imply a large percent difference in the option price. This occurs if the elasticity of the option price C with respect to volatility σ , i.e.

$$\eta = \frac{\partial C}{\partial \sigma} \frac{\sigma}{C} = \mathcal{V} \frac{\sigma}{C}, \quad (3)$$

is large, where $\mathcal{V}$ is often referred to as the option's *vega*. Here, σ may be either a constant parameter, as in the Black and Scholes (BS hereafter) model, or the time-varying conditional volatility $\sqrt{h_t}$ in the GARCH framework.

To have an idea how vega and η look like in the BS world, they are plotted in Figs. 1 and 2 as a function of the stock price S and time to maturity $\tau = T - t$.

The formula for the vega of a call option is

$$\mathcal{V} = S_t \sqrt{\tau} \psi(d_1), \quad (4)$$

with

$$d_1(\sigma^2) = \frac{\ln(S_t/K) + (r + \sigma^2/2)\tau}{\sigma\sqrt{\tau}}, \quad (5)$$

where K is the exercise price, r the constant risk-free interest rate and ψ the standard normal density function. The Black and Scholes (1973) formula for the price of a call option is

$$C_{BS}(S_t, t, \sigma^2) = S_t \Phi(d_1) - Ke^{-r\tau} \Phi(d_2), \quad (6)$$

with Φ denoting the standard normal distribution function and $d_2 = d_1 - \sigma\sqrt{\tau}$. Unlike for the constant parameters K , T and r , the dependence of C_{BS} on σ is made explicit since we will consider time-varying volatility in the following sections. Moreover, we define moneyness for a call option as the ratio $S_t/(Ke^{-r\tau})$ with the option being out- or in-the-money for a moneyness being smaller or larger than one, respectively. For all numerical calculations in this paper, we assume $r = 0$, so that the moneyness simplifies to S_t/K .

The plot of vega in Fig. 1 suggests that in absolute terms, options at the money with long maturities react most sensitively to changes in volatility. On the other




Fig. 2. The Black and Scholes elasticity of a call option with respect to volatility as given in Eq. (3) with time to maturity (left axis) from 0.02 to 0.32 and stock price (right axis) from 85 to 115. The exercise price was fixed at 100, the volatility parameter at 0.4 and the interest rate at zero.

hand, measuring the effects of changes in volatility in relative terms, one realizes from Fig. 2 that options reacting most sensitively are out-of-the-money with short maturities. For our choice of the parameters in this example, η attains a level of 10 at a moneyness of 0.85 and time to maturity of 0.02 years, approximately 1 week. In other words, a 1% change of volatility over a small time interval implies a 10% change of the BS option price.

3. Linear dynamics in continuous time

In a continuous time framework, Lo and Wang (1995) considered the case of a trending Ornstein–Uhlenbeck (OU) process for the logarithm of the stock price process $S(t)$, i.e.

$$d\ln S_t = (-\gamma(\ln S_t - \mu t) + \mu)dt + \sigma dW_t,$$

where W_t is the standard Wiener process, μ and σ the trend and volatility parameters, respectively, and γ the rate at which the stock price is pulled back to its deterministic trend. Returns over time intervals of length Δ can be defined as

$$y_t(\Delta) = \ln S_t - \ln S_{t-\Delta},$$

for which the second order moments can be calculated as

$$\text{Var}(y_t(\Delta)) = \frac{\sigma^2}{\gamma} (1 - \exp(-\gamma\Delta)),$$

with $\gamma > 0$, and

$$\rho_1(\Delta) = \text{Corr}(y_t(\Delta), y_{t+\Delta}(\Delta)) = -\frac{1}{2}(1 - \exp(-\gamma\Delta)). \quad (7)$$

Even though the returns exhibit time-dependence and may be predicted using the negative first order autocorrelations given by Eq. (7), the BS formula remains valid since we are in a complete market framework and the BS formula does not depend on the drift.

However, the difference here to the standard BS model is that the parameter estimates used to plug into the BS formula change. In particular, the volatility parameter is adjusted to a higher level. To see this, note that the empirical variance of a return process observed over n time intervals of length Δ is

$$s^2(y(\Delta)) = \frac{1}{n} \sum_{t=1}^n (y_t(\Delta) - \bar{y}(\Delta))^2,$$

with $\bar{y}(\Delta) = \frac{1}{n} \sum_{t=1}^n y_t(\Delta)$, and that empirical moments should match theoretical moments,

$$\frac{\sigma^2}{\gamma} (1 - \exp(-\gamma\Delta)) = s^2(y(\Delta)).$$

From this follows that

$$\sigma^2 = \frac{s^2(y(\Delta))}{\Delta} \frac{\ln(1 + 2\rho_1(\Delta))}{2\rho_1(\Delta)}, \quad (8)$$

where the first term would be used to estimate the volatility parameter in a BS framework. The second term, which is larger than one, adjusts this standard BS volatility to a higher level. The option price is then obtained from the BS formula Eq. (6) by plugging in the adjusted volatility σ^2 given in Eq. (8). Since option prices depend positively on volatility, negative autocorrelation implies an increase of option prices in this continuous-time, complete market framework. It should be emphasized that we deal with the consequences of model misspecification: Erroneously neglecting autoregressive dynamics underestimates the volatility parameter and thus, option prices.

Lo and Wang (1995) also consider more general, multivariate processes that allow for positive return autocorrelation. They find that option prices decrease when there is positive autocorrelation. This, however, is a peculiarity of the trending OU-process and does not hold in general.

In this complete market framework, the only difference between the BS and Lo and Wang models is the different estimation of the diffusion parameter σ . Thus, once linear dynamics are identified for a given return series, estimation of the diffusion coefficient should be adjusted accordingly. All that matters here is the correct estimation of the diffusion coefficient.

The diffusion coefficient here is a constant parameter which remains unchanged under risk neutralization. In a more general framework where volatility is stochastic, the volatility dynamics will, in general, change after risk neutralizing the process. In particular, parameters that determine the drift function may appear in the volatility process. In the following, we discuss situations where autoregressive dynamics have non-trivial effects on option prices. By non-trivial, we mean that even when the agent correctly employs the unconditional volatility of the risk neutralized process, the change of the option price caused by autoregressive dynamics depends on the moneyness and the time to maturity.

Consider the following model:

$$d\ln S_t = (-\gamma(\ln S_t - \mu t) + \mu)dt + \sigma_t dW_{1,t}, \quad (9)$$

$$d\sigma_t^2 = (\varpi - \theta\sigma_t^2)dt + \delta\sigma_t^2 dW_{2,t}, \quad (10)$$

where $W_{1,t}$ and $W_{2,t}$ are two independent Wiener processes and ϖ , θ and δ are constant parameters. Volatility σ_t is now the solution of a stochastic differential equation. By Theorem 2.3 of Nelson (1990), there is a strictly stationary solution to Eq. (10) with an inverse Gamma stationary distribution if $2\theta + \delta^2 > 0$ and $\varpi > 0$, which we will assume later. Furthermore, we assume $\delta^2 < 2\theta$, which ensures the existence of fourth order moments of $\ln S_t$, see Drost and Werker (1996).

Hull and White (1987) only consider the case $\varpi = 0$, which implies a less appealing non-stationary volatility process. The empirical support for nonstationarity of volatility is rather weak. For example, volatility of financial return series estimated using GARCH or discrete time stochastic volatility typically satisfies the condition for strict stationarity. Also, a nice property of the diffusion system Eqs. (9) and (10) is that standard time series models in discrete time, such as GARCH, have the diffusion limit, Eq. (10) and may serve as approximations.

Because there is no traded asset which is perfectly correlated with volatility, the market is incomplete. Option valuation is no longer preference-free and one has to make assumptions concerning the pricing of volatility risk. Since the two sources of risk in our model are uncorrelated, we assume that volatility risk is not priced. This corresponds to the choice of the minimal martingale measure of Föllmer and Sondermann (1986) and Föllmer and Schweizer (1991), a consequence of which is that every nontradable asset is not priced, see also Theorem 3.1 of Hofmann, et al. (1992). Under this assumption, the option price is

$$\begin{aligned} C(S_t, t) &= E\left[C_{BS}(S_t, t, \bar{V}_\tau) \mid \mathcal{F}_t\right] \\ &= \int_{\mathbb{R}_+} C_{BS}(S_t, t, \bar{V}_\tau) dH(\bar{V}_\tau \mid \sigma_t), \end{aligned} \quad (11)$$

with $\bar{V}_\tau$ denoting the mean volatility over time to maturity,

$$\bar{V}_\tau = \frac{1}{\tau} \int_t^T \sigma_s^2 ds,$$

with conditional distribution function H . In words, the option price is the expected option price of the BS model, where the expectation is taken with respect to the mean volatility until time of maturity. No analytic expression is known for H , but following the approach of Hull and White (1987) the moments of $\bar{V}_\tau$ can be given, allowing a Taylor series approximation of C around the mean of $\bar{V}_\tau$. To simplify the analytic expressions, we assume that σ_t^2 is drawn from its stationary distribution, allowing us to consider the unconditional moments of $\bar{V}_\tau$. It can be justified by a sufficiently long time to maturity, so that by the stationarity of volatility, the law of $\bar{V}_\tau$ will be less affected by the starting value σ_t^2 . The first two moments of $\bar{V}_\tau$ are provided in the following proposition.

Proposition 1.

$$E[\bar{V}_\tau] = \frac{\varpi}{\theta} =: v$$

$$\text{Var}[\bar{V}_\tau] = \frac{2v^2\delta^2}{\theta - \delta^2/2} \frac{\theta\tau + e^{-\theta\tau} - 1}{\theta^2\tau^2}. \quad (12)$$

□

A Taylor series approximation of Eq. (11) around v , the mean of $\bar{V}_\tau$, yields

$$C(S_t, t) = C_{\text{BS}}(S_t, t, v) + \frac{1}{2} \frac{\partial^2 C_{\text{BS}}}{\partial \bar{V}_\tau^2}(v) \text{Var}[\bar{V}_\tau] \\ + \frac{1}{6} \frac{\partial^3 C_{\text{BS}}}{\partial \bar{V}_\tau^3}(v) \text{Skew}(\bar{V}_\tau) + \dots, \quad (13)$$

with

$$\frac{\partial^2 C_{\text{BS}}}{\partial \bar{V}_\tau^2}(v) = \frac{S_t \psi(d_1)(d_1 d_2 - 1) \sqrt{\tau}}{4v^{3/2}}, \quad (14)$$

where $d_1 = d_1(v)$ is given in Eq. (5) and $d_2 = d_1(v) - \sqrt{v\tau}$.

Plugging Eqs. (12) and (14) into Eq. (13) and ignoring terms of third and higher order,¹ we obtain

$$C(S_t, t) = C_{\text{BS}}(S_t, t, v) + A(S_t, K, \tau, v) B(\delta^2, \theta, \tau), \quad (15)$$

with

$$A(S_t, K, \tau, v) = S_t \psi(d_1)(d_1 d_2 - 1) \sqrt{v\tau}, \quad (16)$$

and

$$B(\delta^2, \theta, \tau) = \frac{\delta^2}{4(\theta - \delta^2/2)} \frac{\theta\tau + e^{-\theta\tau} - 1}{\theta^2\tau^2}. \quad (17)$$

Note that $B > 0$. The term A , viewed as a function of the moneyness, S_t/K , produces the typical U-shape of option prices under stochastic volatility compared with BS prices.

In the following, we perform a comparative statics analysis of terms A and B with respect to the volatility parameters ϖ , θ and δ . These parameters are affected when autoregressive dynamics are present. As in the Lo and Wang model,

¹ Hull and White (1987) note that the Taylor series approximation converges fast if δ_π^2 is not too large.

erroneously neglecting autoregressive dynamics leads to different parameter estimates. First, we need the signs of the partial derivatives of A and B .

Proposition 2.

$$\frac{\partial B}{\partial \delta^2} > 0, \quad \frac{\partial B}{\partial \theta} < 0,$$

$$\frac{\partial A}{\partial \sqrt{v}} \begin{cases} < 0 & \text{at-the-money, if } r\tau < 1/2\sqrt{v\tau + 4(1 + \sqrt{2 + v\tau})} \\ > 0 & \text{far in- and out-of-the-money.} \end{cases}$$

□

Note that the condition $r\tau < 1/2\sqrt{v\tau + 4(1 + \sqrt{2 + v\tau})}$ will hold unless the interest rate is unusually high.

To evaluate how the parameters change, we make use of the fact that discrete time GARCH models may serve as diffusion approximations. In Appendix B, we show that GARCH parameter estimates, ignoring the underlying AR(1) dynamics, imply an increase of the diffusion parameters δ and ϖ , whereas θ remains relatively stable. The total differential $dB = (\partial B/\partial \delta^2)d\delta^2 + (\partial B/\partial \theta)d\theta$ is shown to be positive for various parameter constellations.

The conclusion is that the U-shape caused by stochastic volatility becomes more pronounced in the presence of a trend reversion process. That is, at-the-money options become even less, far-in- and out-of-the-money options even more valuable than without linear dynamics.

4. Linear dynamics and GARCH volatility

In this section, we investigate the implications of AR(1) dynamics in discrete time with conditional heteroskedasticity for option pricing. As option pricing under stochastic volatility has been a main issue of finance theory at least since Hull and White (1987), the combination of option pricing theory with econometrics and in particular, the ARCH literature is much younger. The theoretical difficulty arises from the fact that under stochastic volatility, the market is, in general, incomplete. This implies a multitude of equivalent martingale measures and thus, there is a multitude of no-arbitrage prices.

Recently, Duan (1995) introduced the GARCH option pricing model by generalizing the traditional risk neutral valuation methodology to the case of conditional heteroskedasticity. This so-called locally risk-neutral valuation relationship (LRNVR) has, as its essential feature, the equivalence of the conditional variances under the data generating probability measure P and the equivalent martingale measure Q . The definition further requires that under Q , returns are

conditionally normally distributed with conditional expectation equal to the risk-free interest rate. For some commonly used assumptions concerning utility functions and distributions of changes of consumption, Duan shows that a representative agent maximizes his expected utility using the LRNVR measure, Q . This theory holds for general specifications of the conditional mean μ_t and the conditional variance h_t . Hence, we may employ this approach to investigate the joint effects of autoregressive dynamics and GARCH volatility on option prices. In particular, it will be of interest to compare the impact of positive and negative autoregression parameters on option prices.

A further appealing property of Duan's approach is that the weak limit of his martingale measure is the minimal martingale measure of Föllmer and Sondermann (1986) and Föllmer and Schweizer (1991), see Duan (1996). Many bivariate diffusion models, such as the Hull and White (1987) model, may be recovered from Duan's model. A general result is that volatility risk is not priced unless volatility and stock price changes are correlated, as in the TGARCH case.

Letting the conditional mean μ_t and conditional variance h_t be measurable functions with respect to the information set, the general model under the data generating probability measure P is

$$y_t = \mu_t + \sqrt{h_t} \xi_t, \quad (18)$$

$$\xi_t \sim \text{i.i.d. } N(0,1), \quad (19)$$

$$h_t = f(h_s, \xi_s; -\infty < s < t; \theta), \quad (20)$$

where f is a parametric function with parameter vector θ . Under the LRNVR measure Q , the P -innovation ξ_t is shifted by some $\mathcal{F}_{t-1}$ -measurable function λ_t such that the resulting conditional expectation of returns is equal to the risk-free interest rate, which is assumed to be constant. A slightly more general definition was proposed by Duan (1999), who defines returns to be a Box–Cox transformation of S_t/S_{t-1} , including logarithmic returns. Since we will extend the distributional assumption in Eq. (19) to fat-tailed distributions such as the Student- t , we refrain from using the definition of logarithmic returns, because in that case, no moments of S_t/S_{t-1} exist.

Under the equivalent martingale measure Q , the model writes as

$$y_t = \mu_t + \sqrt{h_t} (Z_t - \lambda_t), \quad (21)$$

$$Z_t \sim \text{i.i.d. } N(0,1), \quad (22)$$

$$h_t = f(h_s, \xi_s; -\infty < s < t; \theta), \quad (23)$$

$$\xi_t = Z_t - \lambda_t, \quad (24)$$

$$\lambda_t = \frac{\mu_t - r}{\sqrt{h_t}}. \quad (25)$$

Obviously, we have $\text{Var}^P(y_t | \mathcal{F}_{t-1}) = \text{Var}^Q(y_t | \mathcal{F}_{t-1})$ and $E^Q[y_t | \mathcal{F}_{t-1}] = r$. Note that systems, (21)–(25), are general in the sense that, neither the conditional mean μ_t nor the conditional variance h_t , are specified. For h_t , Duan (1995) used the GARCH(1,1) model. To incorporate the leverage effect, we employ the threshold GARCH model as in Härdle and Hafner (2000).

For the conditional mean μ_t , Duan (1995) and Härdle and Hafner (2000) used the GARCH-M model, i.e. $\mu_t = \nu + \lambda\sqrt{h_t}$. A theoretical justification for such a choice may come from the finance literature, where intertemporal versions of the capital asset pricing model (CAPM) have been established which provide a link between the CAPM and a multivariate GARCH-M model, see Bollerslev et al. (1988) and Hafner and Herwartz (1998). However, there are important differences: First, the CAPM suggests a linear dependence of the stock index risk premium on the variance instead of the standard deviation and second, the risk premia of individual stocks depend linearly on their covariances with the market portfolio.

In a bivariate framework, Hafner and Herwartz (1998) show that additional to the CAPM risk premium, a vector autoregressive component of order one, VAR(1), substantially improves the model fit for most German stocks. As mentioned above, Hafner and Herwartz (1999) show in a univariate framework that for most German stock models with AR(1) component provide a better model fit than models with a risk premium of the type $\mu_t = \nu + \lambda\sqrt{h_t}$.

Thus, we refrain from applying the model of Duan (1995) and Härdle and Hafner (2000) directly, but rather modify the conditional mean to an AR(1) process. That is, under the data generating probability measure P , we assume the following AR(1)–TGARCH(1,1) model

$$y_t = \nu + \phi y_{t-1} + \sqrt{h_t} \xi_t, \quad (26)$$

$$\xi_t \sim \text{i.i.d. } N(0,1), \quad (27)$$

$$h_t = \omega + \left((\alpha + \alpha^- I_{(\xi_{t-1} < 0)}) \xi_{t-1}^2 + \beta \right) h_{t-1}. \quad (28)$$

Under the measure Q , the model takes the following form:

$$y_t = r + \sqrt{h_t} Z_t, \quad (29)$$

$$Z_t \sim \text{i.i.d. } N(0,1), \quad (30)$$

$$h_t = \omega + \left((\alpha + \alpha^- I_{(Z_{t-1} - \lambda_{t-1} < 0)}) (Z_{t-1} - \lambda_{t-1})^2 + \beta \right) h_{t-1}, \quad (31)$$

$$\lambda_t = \frac{\nu + \phi y_{t-1} - r}{\sqrt{h_t}}. \quad (32)$$

Note that unlike in the standard GARCH model, h_t in Eq. (31) is not governed by central chi-square distributed innovations. This has an effect on the stationary

variance of y_t , which is a determining factor for the global level of option prices. The following proposition provides the unconditional variance under Q for the GARCH case.

Proposition 3. *For systems (29)–(32) with $\alpha^- = 0$, the unconditional variance of y_t under stationarity is finite if $\alpha(1 + \phi^2) + \beta < 1$, and*

$$\text{Var}^Q[y_t] = \frac{\omega + \alpha(\nu - r(1 - \phi))^2}{1 - \alpha(1 + \phi^2) - \beta}.$$

□

For the TGARCH case ($\alpha^- \neq 0$), $\text{Var}^Q[y_t]$ is not tractable analytically but can be evaluated numerically. In the following, the unconditional variances are used for the computation of BS option prices.

From Eq. (29), the discounted asset price process $(1 + r)^{-t} S_t$ is a martingale, we can apply the no-arbitrage valuation methodology and obtain for the price of a European call option at time t ,

$$C_t = (1 + r)^{-\tau} E^Q[\max(S_T - K, 0) | \mathcal{F}_t]. \quad (33)$$

The mean of the pay-off function in Eq. (33) is obtained via Monte Carlo simulation. Eqs. (29)–(32) are generated 500 000 times. For the parameters in Eq. (31), we used typical parameter estimates obtained for the German stock return data: for the GARCH model, $\omega = 1\text{E} - 06$, $\alpha = 0.09$, $\beta = 0.9$, and for the TGARCH model, $\omega = 1\text{E} - 06$, $\alpha = 0.03$, $\alpha^- = 0.12$ and $\beta = 0.9$. The AR(1) coefficient ϕ was set to 0.2. Since the estimates $\hat{\nu}$ were found to be insignificant at the 5% level we set $r = \nu = 0$ to evaluate Eq. (33).

Further, we used values for the time to maturity ($\tau = 30$ days) and moneyness ($S/K \in [0.8, 1.2]$) that resemble the parameters of traded options.

Since the standard benchmark model in option pricing is BS, we compare the simulated GARCH and TGARCH prices to BS prices. Our main focus is the difference between the impact of the existence and non-existence of a linear AR-component on option prices. We therefore, estimated four models: AR(0)–GARCH, AR(1)–GARCH, AR(0)–TGARCH, AR(1)–TGARCH, and compare the resulting option prices to BS prices.

Results are listed in Table 6. The price differences between GARCH and BS option prices, with and without autoregressive component, are plotted in Fig. 3.

Note first that for the GARCH differences to BS, we obtain the typical U-shape with out- and in-the-money options valued higher than BS and at-the-money options less.

Secondly, we investigate the difference between option prices with and without AR(1) dynamics. For options in a neighborhood of at-the-money, prices are lower

Table 6
Simulation results for selected values of the moneyness

Moneyness	ΔC AR(0)	%diff	SE	ΔC AR(1)	%diff	SE
0.8	1.43E-03	4538	502.4	6.56E-03	577.3	33.84
0.9	0.020	33.93	1.719	0.012	6.462	0.939
1.0	-0.101	-4.619	0.214	-0.124	-4.527	0.215
1.1	0.026	0.283	0.079	0.016	0.171	0.095
1.2	0.010	0.078	0.046	0.030	0.141	0.056

The columns, ΔC , give the difference between GARCH and BS option prices under AR(0) and AR(1), respectively. The columns, %diff, give the corresponding relative difference (price difference divided by the BS price), and SE is the standard error of %diff.

in the presence of AR(1) dynamics than without. The reverse is true for options sufficiently far in- or out-of-the-money. Put in a different way, the U-shape and the deviation from BS prices become more pronounced under linear dynamics.




Fig. 3. Difference between simulated GARCH option prices to Black and Scholes prices. GARCH parameters were set to $\alpha = 0.09$, $\beta = 0.9$. The x-axis represents the moneyness (S_t/K) of the option. The dashed line incorporates AR(1) dynamics ($\phi = 0.2$), the solid one does not.

Thus, for $\phi > 0$, our results are in line with the results for continuous time models in Section 3 and Proposition 1.

Next, we are interested in the effects of the sign of ϕ . Note from Proposition 2, with $\nu = r = 0$ that the unconditional variance of y_t does not depend on the sign of ϕ . In fact, when replacing the positive value of ϕ by a negative one, one obtains the same picture as in Fig. 3. Recall from Section 3 that in the Lo and Wang (1995) model, negative autocorrelation induced by a univariate trending OU-process and positive autocorrelation obtained for a bivariate one, have inverse implications for the estimated level of volatility and hence, for option prices. Thus, concerning the sign of the autoregression parameter, the implications for option prices in discrete time differ from the Lo and Wang continuous time model.

Note from Table 6 that the relative significance of the option price differences is highest for far out-of-the-money options. This corresponds to the high elasticity of far out-of-the-money options to changes in volatility, which was shown in Fig. 2 for the BS model.

To illustrate the results from a viewpoint often taken by practitioners, we provide implied volatilities. The implied volatility is, for a given moneyness, that volatility parameter, which when plugged into the BS formula, yields the same option price as an observed market price. In our case, we do not have market prices but instead use the option prices generated by the model. For example, recalling Eq. (15), the implied volatility v^* in the framework of Section 3 is implicitly given by

$$C_{BS}(S_t, t, v^*) - C_{BS}(S_t, t, v) = A(S_t, K, \tau, v) B(\delta^2, \theta, \tau), \quad (34)$$

with unconditional volatility v . The implied volatility v^* is a function of the moneyness. In the presence of stochastic volatility and/or leptokurtosis, this function typically has a smile-shaped form. What is plotted in Fig. 4 is the function $\sqrt{v^*} - \sqrt{v}$, where v is the unconditional variance under Q of the GARCH process. The clue for comparing Figs. 3 and 4 lies in the vega of BS, given in Eq. (4) and plotted in Fig. 1. Due to $dC = \frac{\partial C}{\partial \sigma} d\sigma$, the price change of a call (as plotted in Fig. 3) can be obtained by multiplying the vega with the change of the volatility parameter in a BS world (as plotted in Fig. 4):

$$C_{BS}(S_t, t, v^*) - C_{BS}(S_t, t, v) \approx \frac{\partial C}{\partial \sigma}(v)(\sqrt{v^*} - \sqrt{v}).$$

In our simulation example, the smile of the option prices, including autoregressive dynamics, is below the smile without them and the vega is higher under AR(1) than under AR(0) for all strike prices. This is the reason why far out- and in-the-money options have a larger positive difference to BS under AR(1): the change of the volatility parameter is multiplied by a higher vega.




Fig. 4. Difference of the volatility parameter of Black and Scholes implied by the simulated GARCH option price and the unconditional standard deviation of the GARCH process. GARCH parameters were set to $\alpha = 0.09$, $\beta = 0.9$. The x -axis represents the moneyness (S_t/K) of the option. The dashed line incorporates AR(1) dynamics ($\phi = 0.2$), the solid one does not.

Qualitatively similar results are obtained for the TGARCH model, see Figs. 5 and 6, Table 7. The main difference is that the curves are skewed, reflecting the leverage effect. For example, options out-of-the-money do not benefit from the leverage effect. This is because for the out-of-the-money option to be of positive value at maturity, a sequence of positive innovations is required. Positive innovations, however, do not have an increasing effect on volatility in the presence of a leverage effect. So there is a negative effect of positive innovations by reducing volatility. The skew in the smile in Fig. 6 resembles the skewed smile often reported for market prices. Of course, when considering the less realistic case $\alpha^- < 0$, which may be called an inverted leverage effect, the skew of the curves in Figs. 5 and 6 is mirrored: out-of-the-money options become more, in-the-money options less expensive.

We are now turning to the case of conditional leptokurtosis. There have been many approaches to model a fat-tailed innovation distribution directly, the most popular being the Student- t first used by Bollerslev (1987). Duan (1999) does not consider Student- t distributions, because he needs a well-defined moment generat-




Fig. 5. Difference between simulated TGARCH option prices to Black and Scholes prices. TGARCH parameters were set to $\alpha = 0.03$, $\alpha^- = 0.12$, $\beta = 0.9$. The x-axis represents the moneyness (S_t/K) of the option. The dashed line incorporates AR(1) dynamics ($\phi = 0.2$), the solid one does not.

ing function, which the Student-*t* fails to obtain. Rather, Nelson (1991) employs the generalized error distribution (GED) that also exhibits fat tails and includes the normal distribution as a special case. However, in his study of stock returns, Nelson concluded that the tail-thickness of the GED may not suffice to adequately

Table 7
Simulation results for selected values of the moneyness

Moneyness	ΔC AR(0)	%diff	SE	ΔC AR(1)	%diff	SE
0.8	-1.416E-05	-45.06	36.01	-2.58E-04	-22.71	10.15
0.9	-0.035	-59.08	0.739	-0.089	-45.93	0.554
1.0	-0.141	-6.423	0.186	-0.180	-6.600	0.190
1.1	0.084	0.912	0.075	0.084	0.893	0.089
1.2	0.010	0.075	0.044	0.040	0.191	0.055

The columns, ΔC , give the difference between TGARCH and BS option prices under AR(0) and AR(1), respectively. The columns, %diff, give the corresponding relative difference (price difference divided by the BS price), and SE is the standard error of %diff.




Fig. 6. Difference of the volatility parameter of Black and Scholes implied by the simulated TGARCH option price and the unconditional standard deviation of the TGARCH process. TGARCH parameters were set to $\alpha = 0.03$, $\alpha^- = 0.12$, $\beta = 0.9$. The x-axis represents the moneyness (S_t/K) of the option. The dashed line incorporates AR(1) dynamics ($\phi = 0.2$), the solid one does not.

model extremal returns. In our case, the Student- t distribution is feasible, since we defined returns as $y_t = (S_t - S_{t-1})/S_{t-1}$ rather than $y_t = \ln(S_t/S_{t-1})$. The basic idea of Duan's (1999) extension of his GARCH option pricing model is a transformation of the fat-tailed innovation to a standard normal one, under which his locally risk neutral valuation relationship remains valid. Under the data generating probability measure P , let the innovations be $\xi_t \sim \text{i.i.d. } t_v(0,1)$, where $t_v(0,1)$ is the standardized Student- t distribution with v degrees of freedom. Denote by G_v the Student- t distribution function with v degrees of freedom, standardized to have variance one. Then, ξ_t can be transformed to a standard normal random variable by

$$\Psi_v(\xi_t) = \Phi^{-1}[G_v(\xi_t)].$$

Under the equivalent martingale measure Q , the model is

$$y_t = \nu + \phi y_{t-1} + \sqrt{h_t} \Psi_v^{-1}(Z_t - \lambda_t), \quad (35)$$

$$Z_t \sim \text{i.i.d. } N(0,1), \quad (36)$$

$$h_t = \omega + \left((\alpha + \alpha^- I_{(Z_{t-1} - \lambda_{t-1} < 0)}) (Z_{t-1} - \lambda_{t-1})^2 + \beta \right) h_{t-1}, \quad (37)$$

$$\xi_t = \Psi_v^{-1}(Z_t - \lambda_t), \quad (38)$$

where λ_t is the solution to

$$E^Q \left[\Psi_v^{-1}(Z_t - \lambda_t) \mid \mathcal{F}_{t-1} \right] = \frac{r - \mu_t}{\sqrt{h_t}}. \quad (39)$$

The conditional expectation on the left-hand side of Eq. (39) is a function of λ_t and can be calculated numerically.

The parameters were set at the same values as in the previous section. The degrees of freedom for the Student- t distribution were fixed at $\nu = 6.4$, which




Fig. 7. Difference between simulated GARCH option prices with Student- t innovations to GARCH prices with normal innovations. GARCH parameters were set to $\alpha = 0.09$, $\beta = 0.9$ and the Student- t degrees of freedom to $\nu = 6.4$. The x -axis represents the moneyness (S_t / K) of the option. The dashed line incorporates AR(1) dynamics with $\phi = 0.2$, the solid one does not.

correspond to typical estimates for the German stock returns, see Table 2. Fig. 7 shows the differences of option prices under GARCH and normality to corresponding option prices under GARCH and Student- t innovations. The dashed (solid) line represents the situation of (no) autoregressive dynamics. Both effects found in the previous section, i.e. the U-shape of the option price difference caused by GARCH and the increase of the U-shape caused by AR dynamics become even more pronounced under conditional leptokurtosis. A similar picture arises for the TGARCH case in Fig. 8.

Finally, Table 8 reports the percentage differences of simulated option prices using the parameter estimates for the German stock price series and fixing the moneyness at $S_t/K = 0.8$ and $S_t/K = 0.9$. Large percentage differences can be found for Allianz, Linde, Münchner Rück, Preussag, RWE and Viag. The largest percentage difference, 46.39%, occurs for Allianz with a conditionally normal TGARCH model. The corresponding discrepancies in the volatility estimates reported in Tables 4 and 5 are mostly much smaller. This corroborates our




Fig. 8. Difference between simulated TGARCH option prices with Student- t innovations to GARCH prices with normal innovations. TGARCH parameters were set to $\alpha = 0.03$, $\alpha^- = 0.12$, $\beta = 0.9$ and the Student- t degrees of freedom to $\nu = 6.4$. The x -axis represents the moneyness (S_t/K) of the option. The dashed line incorporates AR(1) dynamics with $\phi = 0.2$, the solid one does not.

Table 8
Percentage difference of simulated option prices using the parameter estimates for the German stock price series and moneyness fixed at 0.8 and 0.9

Stock	$\xi_t \sim N(0,1)$				$\xi_t \sim t_v(0,1)$			
	GARCH		TGARCH		GARCH		TGARCH	
	$S_t/K = 0.8$	0.9	0.8	0.9	0.8	0.9	0.8	0.9
ALLI	21.18	11.03	46.39	14.74	1.74	1.87	3.21	2.37
BASF	−0.83	0.180	−0.24	0.51	0.35	0.64	0.61	0.68
BAYE	−3.40	−1.25	−0.57	−0.08	−0.87	−0.40	0.74	0.09
BAYH	−7.90	−0.67	−3.27	0.79	−3.59	−0.81	0.38	0.73
BAYV	6.24	5.00	4.81	4.82	0.13	1.33	2.42	1.51
BMW	−2.07	2.09	−2.09	2.32	−12.61	−4.06	−10.48	−3.32
COMM	0.54	0.65	1.09	0.88	0.43	0.48	1.23	0.93
DAIM	−2.24	0.38	0.75	1.08	−3.57	−0.54	−2.16	0.08
DEUT	−2.38	−0.11	12.81	2.16	−0.13	0.64	−1.32	0.58
DEGU	0.50	0.41	1.21	0.49	−2.09	−0.50	−1.27	−0.40
DRES	2.96	1.96	5.11	3.07	−3.96	−2.01	−6.17	−2.10
HENK	−4.06	−1.41	−3.38	−1.09	0.66	0.74	0.05	0.56
HOEC	−6.60	−0.41	−5.30	0.23	−6.43	−1.30	−6.02	−0.69
KARS	−6.97	−0.92	−5.11	−0.55	−9.95	−1.14	8.54	1.19
LIND	−32.84	−4.70	−25.89	−1.72	−19.04	−5.60	−16.34	−4.75
MAN	−2.63	0.51	5.06	1.59	−5.94	−0.89	−8.84	−1.06
MANN	2.77	1.11	7.29	1.83	0.07	1.27	3.96	2.34
MUEN	−26.14	−3.64	−27.61	−2.53	−10.58	−6.49	−18.80	−9.97
PREU	15.38	7.65	11.92	7.47	−6.13	−1.00	−7.41	−0.79
RWE	27.96	8.91	36.01	10.3	−1.21	0.08	−4.44	−0.29
SCH	−7.40	−0.45	−6.92	−0.40	−4.03	−1.15	−5.88	−1.59
SIEM	3.25	0.23	−3.37	−1.12	5.43	−0.34	−3.89	−2.76
THYS	1.40	0.15	1.27	−0.08	1.12	0.47	1.02	0.40
VEBA	6.37	2.70	2.71	1.28	1.14	1.18	−0.55	0.31
VIAG	−10.34	−2.53	−10.74	−3.03	−1.73	0.39	6.43	0.93
VOLK	−0.90	0.06	2.44	0.67	−0.11	0.44	−0.15	0.67

discussion in Section 2 about the high elasticity of out-of-the-money options with respect to volatility changes.

5. Conclusions and outlook

Modelling volatility with or without linear AR(1) dynamics in the conditional mean yields slightly different volatility estimates for some German stocks. As option prices crucially depend on volatility estimates, the presence of autoregressive dynamics may affect option prices strongly if the elasticity of option prices with respect to volatility is high. To analyse the qualitative and quantitative

dimension of this effect, we have shown that in a continuous time framework, the presence of a trend reversion component for the log price of the underlying stock increases the deviation from BS prices caused by stochastic volatility. The analytic results for our continuous-time model provide useful insights, but the model is rather restricted: it can only display negative autocorrelation of returns and orthogonality of the two risk sources (i.e. no leverage effect). Therefore, we further considered a discrete-time framework with AR(1) conditional mean and GARCH conditional variance. To account for stylized facts of stock returns, we considered the leverage effect and conditional leptokurtosis. Using Monte Carlo simulation, we evaluate option prices under the risk-neutral pricing measure. Our results may be summarized as follows:

1. GARCH effects imply a U-shaped difference of option prices to BS prices, viewed as a function of the moneyness.
2. The leverage effect, captured by the TGARCH model, skews this U-shape with out-of-the-money options becoming less expensive.
3. The inclusion of linear autoregressive dynamics, AR(1), affects option prices. The deviation of option prices from the BS model tends to increase in the presence of autoregressive dynamics. This deviation only depends on the size, not on the sign of the autoregressive parameter.
4. Conditional leptokurtosis imposes another U-shape: the U-shape of the option price difference caused by GARCH and the increase of the U-shape caused by AR dynamics become even more pronounced. Under TGARCH, the difference of option prices assuming conditional normality vs. Student- t remains symmetric with respect to the moneyness, but is again increased in the presence of AR effects.

As weakly autoregressive processes such as an AR(1) process with $\phi = 0.1$ are empirically indistinguishable from a low order moving average process, one may ask how option prices are affected when using MA instead of AR models. In addition, the specification of the conditional mean equation may be generalized to account for weekday effects which can be found for German stock market returns, see e.g. Herwartz (2000). Finally, using stochastic volatility models with separate stochastic innovations in the volatility process may give some different results than for GARCH-type models, although we conjecture that our qualitative results remain unchanged.

Acknowledgements

Financial support by the Deutsche Forschungsgemeinschaft, SFB 373 at Humboldt University, is gratefully acknowledged by both authors. We would like to thank Peter Bank, David S. Bates and an anonymous referee for helpful comments.

Appendix A

Proof of Proposition 1. From Drost and Werker (1996), we have the moments

$$E[\sigma_t^2] = v,$$

$$E[\sigma_t^2 \sigma_s^2] = v^2 + \frac{v^2 \delta^2}{2(\theta - \delta^2/2)} e^{-|t-s|\theta}.$$

Using Fubini's theorem, we obtain

$$E[\bar{V}_\tau] = \frac{1}{\tau} \int_0^\tau E[\sigma_t^2] dt = v,$$

and, for $t > s$,

$$\begin{aligned} E[\bar{V}_\tau^2] &= \frac{2}{\tau^2} \int_0^\tau \int_0^t E[\sigma_t^2 \sigma_s^2] ds dt \\ &= v^2 + \frac{v^2 \delta^2}{(\theta - \delta^2/2)} \frac{\theta\tau + e^{-\theta\tau} - 1}{\theta^2 \tau^2}. \end{aligned}$$

□

Proof of Proposition 2. We have

$$\frac{\partial B}{\partial \delta^2} = \frac{\theta}{4(\theta - \delta^2/2)^2} \frac{\theta\tau + e^{-\theta\tau} - 1}{\theta^2 \tau} > 0, \quad (40)$$

and

$$\frac{\partial B}{\partial \theta} = \frac{\delta^2}{4} \frac{\theta\tau\delta^2/2(1 + e^{-\theta\tau}) + (3\theta - \delta^2)(1 - e^{-\theta\tau}) - \theta^2\tau(2 + e^{-\theta\tau})}{\theta^3\tau^2(\theta - \delta^2/2)^2}, \quad (41)$$

which is negative under the fourth moment's condition $\delta^2 < 2\theta$. Furthermore, we have

$$\frac{\partial A}{\partial \sqrt{v}} = \psi(d_1)(d_1^4 - 2\sqrt{v\tau}d_1^3 + (v\tau - 2)d_1^2 + 2\sqrt{v\tau}d_1 - (1 + v\tau)).$$

Since $\psi(d_1) > 0$, the sign of $\frac{\partial A}{\partial \sqrt{v}}$ is determined by the sign of the polynomial in d_1 ,

$$d_1^4 - 2\sqrt{v\tau}d_1^3 + (v\tau - 2)d_1^2 + 2\sqrt{v\tau}d_1 - (1 + v\tau), \quad (42)$$

which is negative at $d_1 = 0$ and positive for large absolute values of d_1 . The zeros of Eq. (42) are

$$d_1 = \frac{\sqrt{\nu\tau}}{2} \pm \frac{1}{2}\zeta_{1,2},$$

with $\zeta_{1,2} = \sqrt{\nu\tau + 4(1 \pm \sqrt{2 + \nu\tau})}$, or equivalently,

$$\ln(S_t/K) + r\tau = \pm \frac{\zeta_{1,2}}{2}.$$

As long as $\nu\tau < 4 + \sqrt{32}$, there are only two real zeros in d_1 , a positive and a negative one. In terms of the moneyness, there is one positive and one negative zero in $\ln(S_t/K) + r\tau$. This implies that at the money (values in a neighborhood of $\ln(S_t/K) + r\tau = 0$) the derivative is negative. On the other hand, for $\ln(S_t/K) + r\tau > \zeta_1/2$ and for $\ln(S_t/K) + r\tau < -\zeta_1/2$ the derivative is positive. Thus, at-the-money options become less, far in- and out-of-the-money options, more valuable in the presence of a trending OU-process. $\square$

Proof of Proposition 3. Because of $E^Q[y_t] = r$, $E^Q[y_t^2] = r^2 + E^Q[h_t]$ and $E^Q[h_t Z_t \lambda_t] = 0$, we can write

$$\begin{aligned} E^Q[h_t] &= \omega + \alpha E^Q[h_{t-1}] + \alpha E^Q[(\nu - r + \phi y_{t-2})^2] + \beta E^Q[h_{t-1}] \\ &= \omega + (\alpha + \beta) E^Q[h_{t-1}] + \alpha(\nu - r(1 - \phi))^2 + \alpha\phi^2 E^Q[h_{t-2}]. \end{aligned}$$

Under stationarity, the unconditional expectations are independent of t and the result is obtained. $\square$

Appendix B

Suppose that a continuous time stochastic process Y_t is observed at regular time intervals of length $h > 0$ and call this process $Y_{(h)t}, t \in h\mathbb{N}$. The process Y_t is called a GARCH diffusion if for each $h > 0$ the process $Y_{(h)t}, t \in h\mathbb{N}$ is a weak GARCH process in the sense of Drost and Nijman (1993) with

$$\sigma_{(h)t}^2 = \omega_h + \alpha_h Y_{(h)t-h}^2 + \beta_h \sigma_{(h)t-h}^2, \quad (43)$$

being the best linear predictor of $Y_{(h)t}^2$ in terms of 1, $\sigma_{(h)0}^2$ and lagged values of $Y_{(h)t}$ and $Y_{(h)t}^2$.

As shown by Drost and Werker (1996), the mappings between the discrete and continuous time parameters in Eqs. (10) and (43), respectively, are given by

$$\theta = -\frac{1}{h}\ln(\alpha_h + \beta_h), \tag{44}$$

$$\varpi = \frac{1}{h}\omega_h, \tag{45}$$

$$\delta^2 = -\frac{1}{h} \frac{2\ln^3(\alpha_h + \beta_h)}{\frac{1 - (\alpha_h + \beta_h)^2(1 - \beta_h^2)}{\alpha_h(1 - \beta_h(\alpha_h + \beta_h))} + 6\ln(\alpha_h + \beta_h) + 2\ln^2(\alpha_h + \beta_h) + 4(1 - \alpha_h - \beta_h)}. \tag{46}$$

Now, for a given time interval h , which w.l.o.G. we set to one, we can estimate the GARCH parameters ω_1 , α_1 and β_1 and obtain the corresponding continuous time parameters θ , ϖ and δ through Eqs. (44)–(46). We do that by letting the true data-generating process contain an autoregressive component but estimating a (misspecified) AR(0)–GARCH model. This conveys information about the change of parameter estimates.

The parameter estimates and corresponding standard errors of 2000 Monte Carlo replications are given in Table 9. Denote the difference of the parameter

Table 9
Deviations of discrete and implied continuous time parameter estimates when the true DGP contains an autoregressive parameter ϕ

	ϕ						
	−0.5	−0.2	−0.1	0	0.1	0.2	0.5
α_1	0.255	0.112	0.103	0.100	0.103	0.112	0.260
SE (α_1)	1.540	0.636	0.575	0.561	0.582	0.649	1.571
β_1	0.532	0.818	0.834	0.839	0.834	0.817	0.523
SE (β_1)	4.460	1.356	1.110	1.050	1.172	1.420	4.430
ω_1	0.290	0.074	0.064	0.061	0.064	0.075	0.296
SE (ω_1)	4.402	1.027	0.805	0.750	0.867	1.090	4.370
θ	0.261	0.074	0.066	0.064	0.066	0.075	0.265
SE (θ)	4.956	1.235	0.963	0.893	1.179	1.384	4.916
$100\delta^2$	11.263	0.106	0.034	0.020	0.106	0.156	11.387
SE (δ^2)	7.715	0.572	0.214	0.111	0.879	1.091	7.557
dB ($\tau = 0.01$)	0.321	0.021	0.004	0.000	0.005	0.022	0.329
dB ($\tau = 0.1$)	3.811	0.213	0.045	0.000	0.055	0.227	3.902
dB ($\tau = 1$)	37.988	2.095	0.440	0.000	0.548	2.230	38.890
dB ($\tau = 10$)	317.792	17.502	3.679	0.000	4.581	18.635	325.335

The volatility parameters of the simulated DGP are $\alpha_1 = 0.1$, $\beta_1 = 0.85$, and $\omega_1 = 0.05$. SE denotes the standard error using 2000 Monte Carlo replications, measured in E–03. dB is the total differential of B given in Eq. (17) with respect to the parameter changes of θ and δ , measured in E–02.

estimates under nonzero ϕ to the corresponding estimates under $\phi = 0$ by $d\varpi$, $d\delta^2$ and $d\theta$. We are interested in the sign of the total differential,

$$dB = \frac{\partial B}{\partial \delta^2} d\delta^2 + \frac{\partial B}{\partial \theta} d\theta,$$

where $\partial B/\partial \delta^2$ and $\partial B/\partial \theta$ are given in Eqs. (40) and (41). For selected values of τ , dB always turned out to be positive (see Table 9), indicating that the negative effect through $(\partial B/\partial \theta)d\theta$ is outweighed by the positive effect of $(\partial B/\partial \delta^2)d\delta^2$.

References

- Black, F., 1976. Studies in stock price volatility changes. *Proceedings of the 1976 Meeting of the Business and Economics Statistics Section, American Statistical Association*, pp. 177–181.
- Black, F., Scholes, M., 1973. The pricing of options and corporate liabilities. *Journal of Political Economy* 81, 637–659.
- Bollerslev, T., 1986. Generalized autoregressive conditional heteroskedasticity. *Journal of Econometrics* 31, 307–327.
- Bollerslev, T., 1987. A conditional heteroskedastic time series model for speculative prices and rates of returns. *Review of Economics and Statistics* 69, 542–547.
- Bollerslev, T., Engle, R.F., Wooldridge, J.M., 1988. A capital asset pricing model with time varying covariances. *Journal of Political Economy* 96, 116–131.
- Brock, W.A., Dechert, W.D., Scheinkman, J.A., LeBaron, B., 1996. A test for independence based on the correlation dimension. *Econometric Reviews* 15, 197–235.
- Campbell, J., Lo, A., MacKinlay, A., 1997. *The Econometrics of Financial Markets*. Princeton Univ. Press, Princeton, NJ.
- Drost, F.C., Nijman, T.E., 1993. Temporal aggregation of GARCH processes. *Econometrica* 61, 909–927.
- Drost, F.C., Werker, B.J.M., 1996. Closing the GARCH gap: continuous time GARCH modeling. *Journal of Econometrics* 74, 31–57.
- Duan, J.-C., 1995. The GARCH option pricing model. *Mathematical Finance* 5, 13–32.
- Duan, J.-C., 1996. A Unified Theory of Option Pricing Under Stochastic Volatility—From GARCH to Diffusion. Department of Finance, Hong Kong University of Science and Technology.
- Duan, J.-C., 1999. Conditionally fat-tailed distributions and the volatility smile in options. Working paper, Department of Finance, Hong Kong University of Science and Technology.
- Engle, R.F., 1982. Autoregressive conditional heteroskedasticity with estimates of the variance of UK inflation. *Econometrica* 50, 987–1008.
- Engle, R.F., Lilien, D.M., Robins, R.P., 1987. Estimating time varying risk premia in the term structure: the ARCH-M model. *Econometrica* 55, 391–407.
- Föllmer, H., Schweizer, M., 1991. Hedging of contingent claims under incomplete information. In: Davis, M.H.A., Elliot, R.J. (Eds.), *Applied Stochastic Analysis*. Gordon & Breach, London, pp. 389–414.
- Föllmer, H., Sondermann, D., 1986. Hedging of non-redundant contingent claims. In: Hildenbrand, W., Mas-Colell, A. (Eds.), *Contributions to Mathematical Economics*. North-Holland, Amsterdam, pp. 205–223.
- Glosten, L., Jagannathan, R., Runkle, D., 1993. Relationship between the expected value and the volatility of the nominal excess return on stocks. *Journal of Finance* 48, 1779–1801.
- Hafner, C.M., Herwartz, H., 1998. Structural analysis of portfolio risk using beta impulse response functions. *Statistica Neerlandica* 52, 336–355.

- Hafner, C.M. and Herwartz, H., 1999, Testing for linear autoregressive dynamics under heteroskedasticity, SFB 373 Discussion Paper 07, Humboldt-Universität zu Berlin.
- Härdle, W., Hafner, C.M., 2000. Discrete time option pricing with flexible volatility estimation. *Finance and Stochastics* 4, 189–207.
- Herwartz, H., 1998. Testing periodicity in time series models—a recommendation of bootstrap methods. *Computational Statistics* 13, 283–300.
- Herwartz, H., 2000. Weekday dependence of German stock market returns. *Applied Stochastic Models in Business and Industry* 16, 47–71.
- Hofmann, N., Platen, E., Schweizer, M., 1992. Option pricing under incompleteness and stochastic volatility. *Mathematical Finance* 2, 153–187.
- Hull, J., White, A., 1987. The pricing of options on assets with stochastic volatilities. *Journal of Finance* 42, 281–299.
- Kanzler, L., 1998. Very Fast and Correctly Sized Estimation of the BDS Statistic. Department of Economics, Oxford University.
- Lo, A., Wang, J., 1995. Implementing option pricing models when asset returns are predictable. *Journal of Finance* 50, 87–129.
- Nelson, D.B., 1990. ARCH models as diffusion approximations. *Journal of Econometrics* 45, 7–38.
- Nelson, D.B., 1991. Conditional heteroskedasticity in asset returns: a new approach. *Econometrica* 59, 347–370.
- White, H., 1980. A heteroskedasticity consistent covariance matrix estimator and a direct test for heteroskedasticity. *Econometrica* 48, 817–838.
- Zakoian, J.M., 1994. Threshold heteroskedastic functions. *Journal of Economic Dynamics and Control* 18, 931–955.